Canon

Canon i-SENSYS MF542X Laser A4 1200 x 1200 DPI 43 ppm Wi-Fi

Brand: Canon Product family: i-SENSYS Product code: 3513C004

Product name: MF542X

1200 x 1200dpi, UFRII, PCL 5e, PCL6, Adobe PostScript, 72.9 dB, 1430W, 19.8Kg

Canon i-SENSYS MF542X Laser A4 1200 x 1200 DPI 43 ppm Wi-Fi:

Canon i-SENSYS MF540 Series

Get ultra-fast results and versatile multifunctionality from a space-saving black and white laser printer, ideal for hard-working businesses

A versatile black and white laser printer

Meet the needs of your business with the Canon i-SENSYS MF540 series: high-performance multifunctional laser printers with rapid print speeds, customisable controls and flexible mobile connectivity – perfect for those in need of a space-saving solution.

Canon i-SENSYS MF542x

Take black and white printing to the next level with the MF542x, a multifunctional laser printer with superior print speeds and versatile connectivity for workers on the move.

Canon i-SENSYS MF542x

Save space with a compact design boasting print, scan and copy functionality, a perfect fit for productive businesses in need of a high-performance black and white laser printer.

Printing		Paper handling	
Duplex printing mode Print technology * Printing * Duplex printing * Maximum resolution * Print speed (black, normal quality, A4/US Letter) *	Auto Laser Mono printing 1200 x 1200 DPI 43 ppm	ISO B-series sizes (B0B9) Non-ISO print media sizes Envelopes sizes Paper tray media weight Multi-Purpose Tray media weight Auto Document Feeder (ADF) media weight	B5 Legal, Letter, Statement C5, Com-10, DL, Monarch 60 - 120 g/m ² 60 - 199 g/m ² 50 - 105 g/m ²
Warm-up time	14 s	Ports & interfaces	
Time to first page (black, normal)	5.7 s	Standard interfaces	Ethernet, USB 2.0, Wireless LAN
Copying		Direct printing *	✓
Duplex copying *	✓	USB port	✓
Copying *	Mono copying	USB 2.0 ports quantity	1
Maximum copy resolution *	600 x 600 DPI	Network	
Copy speed (black, normal quality, A4)	43 cpm	Wi-Fi *	✓
Time to first copy (black, normal)	6.4 s	Ethernet LAN *	✓
Maximum number of copies	999 copies	Cabling technology	10/100/1000Base-T(X)
Copier resize	25 - 400%	Ethernet LAN data rates	10,100,1000 Mbit/s
Scanning		Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n) 64-bit WEP, 128-bit WEP, 802.1x
Duplex scanning * Scanning *	✓ Colour scanning	Security algorithms	RADIUS, AES, HTTPS, IPPS, SNMPv3, SSL/TLS, TKIP, WPA-PSK, WPA2-PSK
Optical scanning resolution *	600 x 600 DPI	Supported network protocols (IPv4)	LPD, RAW, Port9100, IPP, IPPS, WSD
Maximum scan resolution	9600 x 9600 DPI	Supported network protocols (IPv6)	LPD, RAW, Port9100, IPP, IPPS, WSD
Scanner type *	Flatbed & ADF scanner	Management protocols	SNMPv1, SNMPv3 (IPv4,IPv6)
Scan to Image formats supported	Cloud, E-mail, PC, USB JPG, PNG, TIF	Mobile printing technologies	Apple AirPrint, Canon PRINT Business, Google Cloud Print, Mopria Print Service
Document formats supported	PDF	Performance	
Input colour depth Output colour depth	24 bit 24 bit	Card reader integrated	×
Greyscale levels	256	Internal memory *	1024 MB
Scan drivers	ICA, TWAIN, WIA	Processor frequency	800 MHz
22 2 1	,,	Sound pressure level (printing)	72.9 dB



Fax		Design	
Duplex faxing Faxing * Fax resolution (black) Fax transmission speed Modem speed Fax memory Auto-redialing	Mono faxing 400 x 400 DPI 3 sec/page 33.6 Kbit/s 512 pages	Product colour * Market positioning * Built-in display * Display Display diagonal Touchscreen Control type	White Business ✓ LCD 12.7 cm (5") ✓ Touch
Fax speed dialing (max numbers)	281	Power	
Fax forwarding Fax broadcasting Error Correction Mode (ECM) Fax dual access	₹ 310 locations ₹ ₹	Power consumption (max) Power consumption (standby) Power consumption (sleep) Energy Star Typical Electricity	1430 W 13.6 W 0.9 W
Features		Consumption (TEC)	1.4 kWh/week
Recommended duty cycle Maximum duty cycle *	2000 - 7500 pages per month 150000 pages per month	AC input voltage AC input frequency	220 - 240 V 50 - 60 Hz
Digital sender	✓	System requirements	
Page description languages Printer fonts Number of printer fonts Number of PCL fonts Number of PostScript fonts	PCL 5e, PCL 6, PostScript 3, UFRII-LT PCL, PostScript 229 93 136		Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise
Input & output capacity	1		x64, Windows 7 Home Basic, Windows 7 Home Basic x64,
Total number of input trays * Total input capacity * Total output capacity * Multi-Purpose tray Multi-Purpose tray input capacity Paper input type Auto document feeder (ADF) Auto document feeder (ADF) input capacity	550 sheets 150 sheets ✓ 100 sheets Cassette, Paper tray ✓ 50 sheets	Windows 7 Hom Windows 7 Hom Windows 7 Profe Professional x64 Starter, Window Windows 7 Ultim Windows 7 Ultim Ultimate x64, W supported 8 Enterprise, Wi x64, Windows 8 x64, Windows 8 Windows 8.1 Enterprise S Windows 8.1 En	Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows
Paper handling			8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows
Maximum ISO A-series paper size * Maximum print size Paper tray media types * Multi-purpose tray media types ISO A-series sizes (A0A9) *	A4 215 x 355 mm Envelopes, Heavy paper, Labels, Plain paper, Recycled paper Executive, Legal, Letter A4, A5		8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64
		Mac operating systems supported	Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
		Linux operating systems supported	✓
		Server operating systems supported	Windows Server 2003, Windows Server 2003 R2, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2
		Operational conditions	
		Operating relative humidity (H-H) Operating temperature (T-T)	20 - 80% 10 - 30 °C
		Weight & dimensions	
		Width	480 mm
		Depth	464 mm
		Height Weight	452 mm 19.8 kg
		Packaging content	
		Manual	1
			•

Packaging content		
Power cord included Quick installation guide	√	
Logistics data		
Harmonized System (HS) code	84433100	
Other features		
Fonts included	✓	
Cartridge type	056L, 056, 056H	
Noise level	54 dB	



4549292133622

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.