Canon

Canon i-SENSYS LBP325x 600 x 600 DPI A4

Tuotemerkki : Canon   **Tuoteperhe:** i-SENSYS   **Tuotekoodi:** 3515C004

Tuotteen nimi : LBP325x

Canon i-SENSYS LBP325x. Tulostustekniikka: Laser. Suurin toimintajakso: 150000 sivua kuukaudessa. Suurin resoluutio: 600 x 600 DPI. Suurin ISO A-luokan paperikoko: A4. Tulostusnopeus (musta, normaalilaatu, A4/US Letter): 43 ppm, Kaksipuolinen tulostus. Näyttö: LCD. Verkkovalmius. Tuotteen väri: Valkoinen

Printing

Duplex printing mode	Auto
Colour *	✗
Print technology *	Laser
Duplex printing *	✔
Maximum resolution *	600 x 600 DPI
Print speed (black, normal quality, A4/US Letter) *	43 ppm
Warm-up time	30 s
Time to first page (black, normal)	5.7 s
Print margins (top, bottom, right, left)	5 mm
Secure printing	✔

Features

Maximum duty cycle *	150000 pages per month
Recommended duty cycle	2000 - 7500 pages per month
Printing colours *	Black, White
Page description languages *	PCL 5e, PCL 6, PostScript 3, UFRII
Number of printer fonts	241

Input & output capacity

Total number of input trays *	1
Total input capacity *	550 sheets
Total output capacity *	150 sheets
Paper input type	Cassette, Paper tray
Multi-Purpose tray	✔
Multi-Purpose tray input capacity	100 sheets
Maximum number of input trays	4
Maximum input capacity	2300 sheets

Paper handling

Maximum ISO A-series paper size *	A4
Paper tray media types *	Bond paper, Envelopes, Heavy paper, Labels, Plain paper, Postcard, Recycled paper
Multi-purpose tray media types	Envelopes
ISO A-series sizes (A0...A9) *	A4, A5, A6
ISO B-series sizes (B0...B9)	B5

Network

Wi-Fi *	✗
Ethernet LAN *	✔
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Mobile printing technologies	Apple AirPrint, Canon PRINT Business, Google Cloud Print, Mopria Print Service

Performance

Internal memory *	1024 MB
Built-in processor	✔
Processor frequency	528 MHz
Sound pressure level (printing)	69 dB

Design

Market positioning *	Business
Product colour *	White
Built-in display *	✔
Display	LCD
Display number of lines	5 lines

Power

Power consumption (printing) *	600 W
Power consumption (max)	1380 W
Power consumption (standby)	10.1 W
Power consumption (PowerSave)	1.2 W
Energy Star Typical Electricity Consumption (TEC)	1.5 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50 - 60 Hz

System requirements

Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Vista
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.9 Mavericks

Paper handling

Envelopes sizes	C5, Com-10, DL, Monarch
Custom media width	105 - 216 mm
Custom media length	148 - 355.6 mm
Paper tray media weight	60 - 120 g/m²
Multi-Purpose Tray media weight	60 - 199 g/m²
Duplex media weight	60 - 120 g/m²

Ports & interfaces

USB port *	✔
USB 2.0 ports quantity	1

Network

Network ready	✔

System requirements

Linux operating systems supported	✔
Server operating systems supported	Windows Server 2003, Windows Server 2003 R2, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019

Operational conditions

Operating temperature (T-T)	10 - 30 °C
Operating relative humidity (H-H)	20 - 80%

Weight & dimensions

Width	409 mm
Depth	376 mm
Height	275 mm
Weight	12.3 kg

Logistics data

Harmonized System (HS) code	84433210

Other features

Printer management	Department ID Management, Remote User Interface, iW Management Console, eMaintenance, uniFLOW
Acoustic pressure emissions	54 dB

4549292133851