

## Philips Signage Solutions 37BDL3050S/00 infonäyttö 94 cm (37") 700 cd/m<sup>2</sup> Full HD musta Sisäänrakennettu prosessori Android 8.0 24/7




**Tuotemerkki :** Philips

**Tuoteperhe:** Signage Solutions **Tuotekoodi:** 37BDL3050S/00

**Tuotteen nimi :**  
37BDL3050S/00

Philips Signage Solutions 37BDL3050S/00. Näytön halkaisija: 94 cm (37"), Näytön erottelutarkkuus: 1920 x 540 pikseliä, Näytön kirkkaus: 700 cd/m<sup>2</sup>, HD-tyyppi: Full HD. Toiminta-aika (tunteja/päiviä): 24/7. Käyttöjärjestelmä asennettu: Android 8.0. Tuotteen väri: musta

Display		Performance		
Display diagonal *	94 cm (37")	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, French, Italian, Japanese, Norwegian, Polish, Portuguese, Russian, Swedish, Turkish	
Display resolution *	1920 x 540 pixels		Operating hours (hours/days)	24/7
Display brightness *	700 cd/m <sup>2</sup>		Mean time between failures (MTBF)	50000 h
HD type *	Full HD		<b>Power</b>	
Native aspect ratio	32:9	Power consumption (typical) *	70 W	
Response time	8 ms	Power consumption (standby) *	0.5 W	
Contrast ratio (typical)	4000:1	Input voltage	100/240 V	
Viewing angle, horizontal	178°	AC input voltage	100/240 V	
Viewing angle, vertical	178°	AC input frequency	50 - 60 Hz	
Pixel pitch	0.47 x 0.47 mm	<b>Computer system</b>		
<b>Ports &amp; interfaces</b>		Built-in processor *	✓	
HDMI ports quantity *	2	Internal memory	2 GB	
HDMI version	2.0	On-board graphics card model	ARM Mali-G51	
HDMI input ports quantity	1	Internal storage capacity	8 GB	
HDMI output ports quantity	1	Operating system installed	Android 8.0	
VGA (D-Sub) input ports	1	<b>Weight &amp; dimensions</b>		
USB port *	✓	Display width	928.5 mm	
USB ports quantity	1	Display depth	48.7 mm	
USB version	2.0	Display height	282.3 mm	
USB connector type	USB Type-A	Display weight	7.76 kg	
Ethernet LAN *	✓	<b>Packaging content</b>		
Ethernet LAN (RJ-45) ports	1	Remote control included	✓	
PC Audio in	✓	Batteries included	✓	
RS-232 interface	✓	Cables included	AC, HDMI, IR sensor, RS-232	
Remote (IR) input	1	Mounting kit	✓	
Remote (IR) output	1	<b>Operational conditions</b>		
<b>Design</b>		Operating temperature (T-T)	0 - 40 °C	
Placement supported *	Indoor	Operating relative humidity (H-H)	20 - 80%	
Orientation	Horizontal	Storage temperature (T-T)	-20 - 60 °C	
Product colour *	Black	Storage relative humidity (H-H)	5 - 95%	
VESA mounting *	✓	<b>Certificates</b>		
Panel mounting interface	400 x 200 mm	Certification	THIS FCC Class A CB	



8712581799489



0810112790016



810112790016

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.