Canon

Canon imageFORMULA DR-S150 ADF + Manual feed scanner 600 x 600 DPI A4 Black

Brand : Canon

Product family: imageFORMULA

Product code: 4044C003

Product name : DR-S150

DR-S150, 600dpi, RGB LED, CMOS CIS 1 Line Sensor, USB, Wi-Fi, LAN, 45ppm / 90ipm, AC 100-240V, 291x247x242 mm

Canon imageFORMULA DR-S150 ADF + Manual feed scanner 600 x 600 DPI A4 Black:

Intuitive, high-quality scanning with versatile connectivity
Discover fast, reliable and high-performance scanning, with easy operation via the large colour touch screen. LAN, WiFi or USB interface options allow flexible connectivity, for convenient use across all types of scanning applications and environments.

Flexible connectivity
USB, LAN and Wi-Fi connection options for smooth integration.

High performance
Consistently accurate colour image processing of up to 45ppm/90ipm.

Maximised productivity
Simple operation with a large 4.3" LCD colour touch screen and one-touch configurations.

Scanning

Maximum scan size *	216 x 356 mm
Optical scanning resolution *	600 x 600 DPI
Colour scanning	✔
Duplex scanning *	✔
ADF scan speed (b/w, A4)	45 ppm
ADF scan speed (colour, A4)	45 ppm
Duplex ADF scan speed (b/w, A4)	90 ipm
Duplex ADF scan speed (colour, A4)	90 ipm

Design

Scanner type *	ADF + Manual feed scanner
Product colour *	Black
Display	LCD
Touchscreen	✔
Colour display	✔
Built-in display *	✔

Performance

Sensor type *	CMOS CIS
Light source	RGB LED
Daily duty cycle (max) *	4000 pages
Scan drivers	ISIS, TWAIN
Barcode reader	✔

Input capacity

Auto document feeder (ADF) input capacity	60 sheets

Paper handling

Scanning media types supported	Business Card, Plastic Card
Maximum ISO A-series paper size *	A4
Maximum scan width	21.6 cm
Maximum scan length	35.6 cm

Ports & interfaces

USB port *	✔
USB version	3.2 Gen 2 (3.1 Gen 2)
Standard interfaces	Ethernet, USB 3.2 Gen 1 (3.1 Gen 1), Wireless LAN

Network

Wi-Fi	✔
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Ethernet LAN	✔

Power

Power supply type *	AC
Power consumption (typical)	22.5 W
Power consumption (off)	0.1 W
AC input frequency	50 - 60 Hz
Sleep mode	✔
Input voltage	100 - 240 V
Power consumption (sleep)	3.4 W

Weight & dimensions

Width	291 mm
Depth	247 mm
Height	242 mm
Weight	3.3 kg

Packaging content

Bundled software	CaptureOnTouch Pro CaptureOnTouch JobTool Wireless Connection Setup Tool

System requirements

Windows operating systems supported	Windows 10, Windows 7, Windows 8.1
Server operating systems supported	Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019

Other features	
Certification	EPEAT Gold
Logistics data	
Harmonized System (HS) code	84716070

4528472109206