

Canon imageFORMULA DR-S150 ADF + Manuaalinen syöttöskanneri 600 x 600 DPI A4 musta



Tuotemerkki : Canon **Tuoteperhe:** imageFORMULA **Tuotekoodi:** 4044C003
Tuotteen nimi : DR-S150

Canon imageFORMULA DR-S150. Skannauksen enimmäiskoko: 216 x 356 mm, Optinen skannauserottelutarkkuus: 600 x 600 DPI, ADF-skannausnopeus (mustavalkoinen, A4): 45 ppm. Skannerityyppi: ADF + Manuaalinen syöttöskanneri, Tuotteen väri: musta, Näyttö: LCD. Anturin tyyppi: CMOS CIS, Päivittäinen käyttöjako (maks.): 4000 sivua, Valonlähde: RGB LED. Automaattisen asiakirjojen syöttölaitteen kapasiteetti: 60 arkkia. Suurin ISO A-luokan paperikoko: A4, Tuetut skannausmediatyytit: Käyntikortti, Muovikortti, Suurin lukuleveys: 21,6 cm

Scanning		Ports & interfaces	
Maximum scan size *	216 x 356 mm	USB port *	✓
Optical scanning resolution *	600 x 600 DPI	USB version	3.2 Gen 2 (3.1 Gen 2)
Colour scanning	✓	Standard interfaces	Ethernet, USB 3.2 Gen 1 (3.1 Gen 1), Wireless LAN
Duplex scanning *	✓	Network	
ADF scan speed (b/w, A4)	45 ppm	Wi-Fi	✓
ADF scan speed (colour, A4)	45 ppm	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Duplex ADF scan speed (b/w, A4)	90 ipm	Ethernet LAN	✓
Duplex ADF scan speed (colour, A4)	90 ipm	Power	
Design		Power supply type *	AC
Scanner type *	ADF + Manual feed scanner	Power consumption (typical)	22.5 W
Product colour *	Black	Power consumption (off)	0.1 W
Display	LCD	AC input frequency	50 - 60 Hz
Touchscreen	✓	Sleep mode	✓
Colour display	✓	Input voltage	100 - 240 V
Built-in display *	✓	Power consumption (sleep)	3.4 W
Performance		Weight & dimensions	
Sensor type *	CMOS CIS	Width	291 mm
Light source	RGB LED	Depth	247 mm
Daily duty cycle (max) *	4000 pages	Height	242 mm
Scan drivers	ISIS, TWAIN	Weight	3.3 kg
Barcode reader	✓	Packaging content	
Input capacity		Bundled software	CaptureOnTouch Pro CaptureOnTouch JobTool Wireless Connection Setup Tool
Auto document feeder (ADF) input capacity	60 sheets	System requirements	
Paper handling		Windows operating systems supported	Windows 10, Windows 7, Windows 8.1
Scanning media types supported	Business Card, Plastic Card	Server operating systems supported	Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
Maximum ISO A-series paper size *	A4	Other features	
Maximum scan width	21.6 cm	Certification	EPEAT Gold
Maximum scan length	35.6 cm		

Logistics data

Harmonized System (HS) code 84716070



4528472109206

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date