



## LG 43UM5N-H Signage Display Digital signage flat panel 109.2 cm (43") Wi-Fi 500 cd/m<sup>2</sup> 4K Ultra HD Black WebOS 24/7



**Brand :** LG

**Product code:** 43UM5N-H

**Product name :** 43UM5N-H

- Resolution : 3,840 x 2,160 (UHD)
- Brightness (Typ.) : 500 nit
- Surface Treatment (Haze) : 25 %
- Bezel : 12.1 mm (T/B), 11.1 mm (R/L)
- Interface : HDMI(3) / DP / USB 2.0 / RS232C / RJ45 / Audio / IR
- webOS Smart Platform

43" UHD 3840 x 2160, webOS, HDMI(3) / DP / USB 2.0 / RS232C / RJ45 / Audio / IR, 968 x 559 x 57.7mm, 9 kg, Black

LG 43UM5N-H. Product design: Digital signage flat panel. Display diagonal: 109.2 cm (43"), Display resolution: 3840 x 2160 pixels, Display brightness: 500 cd/m<sup>2</sup>, HD type: 4K Ultra HD. Wi-Fi. Operating hours (hours/days): 24/7. Operating system installed: WebOS. Product colour: Black

Display		Performance	
Panel type	IPS	Purpose *	Commercial
LED backlight	✓	Operating hours (hours/days)	24/7
LED backlighting type	Direct-LED	HDCP	✓
Display diagonal *	109.2 cm (43")	Automatic brightness control	✓
Display resolution *	3840 x 2160 pixels	International Protection (IP) code	IP5X
Display brightness *	500 cd/m <sup>2</sup>	HDCP version	1.4/2.2
HD type *	4K Ultra HD	Power	
Touchscreen *	✗	Power consumption (typical) *	100 W
Response time	8 ms	Power consumption (standby) *	0.5 W
Contrast ratio (typical)	1000:1	Power consumption (max)	140 W
Contrast ratio (dynamic)	1000000:1	Energy efficiency class (SDR)	G
Viewing angle, horizontal	178°	AC input voltage	100 - 240 V
Viewing angle, vertical	178°	AC input frequency	50/60 Hz
Display number of colours	1.07 billion colours	Heat dissipation	341 BTU/h
Panel life	50000 h	Computer system	
Native refresh rate	60 Hz	Internal memory	16 GB
Haze rate	25%	Operating system installed	WebOS
Colour gamut	95%	Operating system version	webOS 6.0
Ports & interfaces		Weight & dimensions	
HDMI ports quantity *	4	Display width	968 mm
HDMI input ports quantity	3	Display depth	57.7 mm
HDMI output ports quantity	1	Display height	559 mm
DisplayPorts quantity *	1	Display weight	9 kg
USB port *	✓	Packaging data	
USB ports quantity	1	Package width	1055 mm
USB version	2.0	Package depth	142 mm
USB connector type	USB Type-A	Package height	660 mm
Ethernet LAN *	✓	Package weight	11.3 kg
Ethernet LAN (RJ-45) ports	1	Packaging content	
Wi-Fi *	✓	Remote control included	✓
RS-232C	✓	Batteries included	✓
Remote (IR) input	1	Cables included	Phone, Power
Audio			
Built-in speaker(s) *	✓		

Design		Operational conditions	
Product design *	Digital signage flat panel	Operating temperature (T-T)	0 - 40 °C
Placement supported *	Indoor	Operating relative humidity (H-H)	10 - 80%
Orientation	Horizontal/Vertical	<b>Features</b>	
Product colour *	Black	Heat dissipation (max)	478 BTU/h
VESA mounting *	✓	<b>Other features</b>	
Panel mounting interface	200 x 200 mm	Audio output	1
Bezel width (bottom)	1.21 cm	Power consumption (PowerSave)	70 W
Bezel width (side)	1.11 cm	Plug and Play	✓
Bezel width (top)	1.21 cm		

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date