

Philips 43BDL3511Q/00 infonäyttö Digitaalinen A-taulu 109,2 cm (43") 400 cd/m² 4K Ultra HD musta 18/7




Tuotemerkki : Philips

Tuotekoodi: 43BDL3511Q/00

Tuotteen nimi : 43BDL3511Q/00

Philips 43BDL3511Q/00. Tuotteen muotoilu: Digitaalinen A-taulu. Näytön halkaisija: 109,2 cm (43"), Näytön erottelutarkkuus: 3840 x 2160 pikseliä, Näytön kirkkaus: 400 cd/m², HD-tyyppi: 4K Ultra HD. Toiminta-aika (tunteja/päiviä): 18/7. Tuotteen väri: musta

Display		Design	
Panel type	IPS	Product colour *	Black
LED backlighting type	Direct-LED	VESA mounting *	✓
Display diagonal *	109.2 cm (43")	Panel mounting interface	200 x 200 mm
Display resolution *	3840 x 2160 pixels	Bezel width (bottom)	1.39 cm
Display brightness *	400 cd/m ²	Bezel width (side)	1.39 cm
HD type *	4K Ultra HD	Bezel width (top)	1.39 cm
Touchscreen *	✗	Performance	
Native aspect ratio	16:9	Purpose *	Commercial
Response time	8 ms	Operating hours (hours/days)	18/7
Contrast ratio (typical)	1200:1	Mean time between failures (MTBF)	50000 h
Contrast ratio (dynamic)	500000:1	Power	
Viewing angle, horizontal	178°	Power consumption (typical) *	105 W
Viewing angle, vertical	178°	Power consumption (standby) *	0.5 W
Display number of colours	1.07 billion colours	Energy efficiency class (SDR)	G
Pixel pitch	0.2451 x 0.2451 mm	Energy consumption (SDR) per 1000 hours	105 kWh
Display diagonal (metric)	108 cm	AC input voltage	100 - 240 V
Haze rate	1%	AC input frequency	50 - 60 Hz
Ports & interfaces		Energy efficiency scale	A to G
HDMI ports quantity *	2	Computer system	
HDMI version	2.0	Video formats supported	H.264, MPEG, WMV3
HDMI input ports quantity	2	Audio formats supported	AAC, HE-AAC, WMA
DVI port *	✓	Image formats supported	BMP, JPG, PNG
DVI-I ports quantity	1	Weight & dimensions	
USB port *	✓	Display width	973 mm
USB ports quantity	2	Display depth	63.5 mm
USB version	2.0	Display height	561.2 mm
Ethernet LAN *	✓	Display weight	10.7 kg
Ethernet LAN (RJ-45) ports	1	Packaging content	
Audio (L/R) in	1	Cables included	AC, IR sensor, RS-232, USB
Audio (L/R) out	1	Operational conditions	
RS-232C	✓	Operating temperature (T-T)	0 - 40 °C
Remote (IR) input	1	Operating relative humidity (H-H)	20 - 80%
Remote (IR) output	1	Storage temperature (T-T)	-20 - 60 °C
Audio		Storage relative humidity (H-H)	5 - 95%
Built-in speaker(s) *	✓	Logistics data	
Number of built-in speakers	2	Harmonized System (HS) code	85285210
RMS rated power	20 W		
Design			
Product design *	Digital A-board		
Placement supported *	Indoor		
Orientation	Horizontal/Vertical		



8712581778576

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-DEC-2024. Prints or copies of Information are only valid on the printed Publication date