



Canon imageFORMULA DR-6030C ADF scanner 600 x 600 DPI A3 White

Brand : Canon

Product family:
imageFORMULA

Product code: 4624B003

Product name : DR-6030C



DR6030C - CMOS CIS, 600 dpi, RGB LED, A3, 300 x 432mm, USB 2.0, SCSI-3, 80ppm, 10.5kg
Canon imageFORMULA DR-6030C. Maximum scan size: 300 x 432 mm, Optical scanning resolution: 600 x 600 DPI, Input colour depth: 24 bit. Scanner type: ADF scanner, Product colour: White. Sensor type: CMOS CIS, Daily duty cycle (max): 10000 pages, Light source: RGB LED. Standard input capacity: 100 sheets. Maximum ISO A-series paper size: A3, ISO A-series sizes (A0...A9): A3, Media thickness (min): 0.05 mm



Scanning		Power	
Maximum scan size *	300 x 432 mm	Power supply type *	AC
Optical scanning resolution *	600 x 600 DPI	Power consumption (typical)	46.5 W
Colour scanning	✓	AC input frequency	50 - 60 Hz
Duplex scanning *	✓	Input voltage	220-240 V
Input colour depth	24 bit		
Film scanning	✗	System requirements	
Greyscale levels	256		Windows 2000 Professional, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Home Basic, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Professional
Design		Windows operating systems supported	
Scanner type *	ADF scanner		
Product colour *	White		
Built-in display *	✗		
Performance			
Sensor type *	CMOS CIS		
Light source	RGB LED		
Daily duty cycle (max) *	10000 pages		
Scan drivers	ISIS, TWAIN		
Input capacity		Operational conditions	
Standard input capacity	100 sheets	Operating temperature (T-T)	10 - 32.5 °C
		Operating relative humidity (H-H)	20 - 80%
Paper handling		Certificates	
Maximum ISO A-series paper size *	A3	Certification	RoHS
ISO A-series sizes (A0...A9)	A3		
Media thickness (min)	0.05 mm	Weight & dimensions	
Ports & interfaces		Width	398 mm
USB port *	✓	Depth	668 mm
USB version	2.0	Height	194 mm
Standard interfaces	SCSI-3, USB 2.0	Weight	10.5 kg
		Packaging content	
		Bundled software	CapturePerfect 3.0, Kofax VRS Basic, Adobe Acrobat 9 Standard
		Other features	
		Output resolutions	100 x 100dpi, 150 x 150dpi, 200 x 200dpi, 240 x 240dpi, 300 x 300dpi, 400 x 400dpi, 600 x 600dpi

Technical details


Sustainability certificates	ENERGY STAR
-----------------------------	-------------

Logistics data

Harmonized System (HS) code	84716070
-----------------------------	----------



4528472103709




5712505752111



4528472107486



0013803290936



013803290936

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.