

## Epson CO-FH01 dataprojektori 3000 ANSI lumenia 3LCD 1080p (1920x1080) Valkoinen

**Tuotemerkki :** Epson

**Tuotekoodi:** V11HA84040

**Tuotteen nimi :** CO-FH01



Epson CO-FH01. Projektorin kirkkaus: 3000 ANSI lumenia, Projektioteknologia: 3LCD, Projektorin oletusresoluutio: 1080p (1920x1080). Valonlähteen tyyppi: Lamppu, Valonlähteen käyttöikä: 6000 h, Valonlähteen käyttöikä (säästötila): 12000 h. Tarkennus: Ohje, Zoomin malli: Ohje, Zoomaussuhde: 1.35:1. Melutaso: 38 dB, Melutaso (taloudellinen tila): 29 dB. Asema markkinoilla: Kotiteatteri, Tuotteen väri: Valkoinen, Kaapelilukon aukkotyyppi: Kensington



Projector		Features	
Smart projector *	✓	Noise level (economic mode)	29 dB
Screen size compatibility *	660.4 - 9931.4 mm (26 - 391")	Noise level *	38 dB
Projection distance (wide)	0.9 - 10.4 m	<b>Multimedia</b>	
Projection distance (tele)	0.9 - 10.4 m	Built-in speaker(s) *	✓
Projector brightness *	3000 ANSI lumens	<b>Design</b>	
Projection technology *	3LCD	Market positioning *	Home cinema
Projector native resolution *	1080p (1920x1080)	Product colour *	White
Native aspect ratio *	16:9	Cable lock slot	✓
Projector brightness (economic mode)	2000 ANSI lumens	Cable lock slot type	Kensington
Projector brightness (portrait mode)	2000 ANSI lumens	<b>Display</b>	
Keystone correction, horizontal	30°	Built-in display *	✓
Keystone correction, vertical	30°	<b>Power</b>	
<b>Light source</b>		Power source *	AC
Light source type *	Lamp	Power consumption (typical) *	270 W
Service life of light source *	6000 h	Power consumption (standby) *	0.5 W
Service life of light source (economic mode)	12000 h	Power consumption (max)	270 W
Lamp type	UHE	Power consumption (PowerSave)	214 W
Lamp power	188 W	Power consumption (economy mode)	214 W
<b>Lens system</b>		AC input voltage	100 - 240 V
Focus *	Manual	AC input frequency	50 - 60 Hz
Zoom capability	✓	<b>Operational conditions</b>	
Zoom type	Manual	Operating temperature (T-T)	5 - 40 °C
Zoom ratio	1.35:1	Operating relative humidity (H-H)	-10 - 60%
<b>Video</b>		Storage relative humidity (H-H)	10 - 90%
Full HD *	✓	<b>Weight &amp; dimensions</b>	
3D *	✗	Width	295 mm
<b>Ports &amp; interfaces</b>		Depth	211 mm
USB 2.0 ports quantity	1	Height	87 mm
USB 2.0 Type-A ports quantity	1	Weight *	2.4 kg
HDMI ports quantity *	1		

**Ports & interfaces**

DVI port \*

✘

**Packaging content**

Remote control included \*

✔

Remote control type

IR



8715946706825

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 21-DEC-2024. Prints or copies of Information are only valid on the printed Publication date