

Philips 40B1U6903CH/00 computer monitor 100.8 cm (39.7") 5120 x 2160 pixels 5K Ultra HD LCD Black

Brand : Philips

Product code: 40B1U6903CH/00

Product name : 40B1U6903CH/00

Business Monitor 40B1U6903CH 5K2K UltraWide Thunderbolt™ monitor

Philips 40B1U6903CH/00 computer monitor 100.8 cm (39.7") 5120 x 2160 pixels 5K Ultra HD LCD Black:

Philips Thunderbolt™ 4 monitor delivers a secure, reliable one-cable docking solution, delivering sharp images, and noise cancelling mic let people hear you fine. Windows Hello Webcam for quick access and strong security.

Philips 40B1U6903CH/00. Display diagonal: 100.8 cm (39.7"), Display resolution: 5120 x 2160 pixels, HD type: 5K Ultra HD, Display technology: LCD, Response time: 4 ms, Native aspect ratio: 21:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 2 (3.1 Gen 2). VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	100.8 cm (39.7")	Cable lock slot *	✓
Display resolution *	5120 x 2160 pixels	Cable lock slot type	Kensington
HD type *	5K Ultra HD	Height adjustment *	✓
Native aspect ratio *	21:9	Height adjustment	15 cm
Display technology *	LCD	Swivel angle range	-45 - 45°
Panel type *	IPS	Tilt angle range	-5 - 15°
Backlight type	W-LED	Picture-in-Picture	✓
Touchscreen *	✗		
Display brightness (typical)	300 cd/m²	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Response time *	4 ms		
Anti-glare screen	✓	Plug and Play	✓
Screen shape *	Curved	LED indicators	Operation, Stand-by
Screen curvature rating	2500R		
Contrast ratio (typical) *	1000:1	Power	
Maximum refresh rate *	50 Hz	Energy efficiency class (SDR) *	G
Viewing angle, horizontal	178°	Energy efficiency class (HDR) *	G
Viewing angle, vertical	178°	Energy consumption (SDR) per 1000 hours *	40 kWh
Display number of colours *	1.07 billion colours	Energy consumption (HDR) per 1000 hours *	40 kWh
Pixel pitch	0.1815 x 0.1815 mm	Power consumption (typical) *	58.3 W
Pixel density	140 ppi	Power consumption (standby) *	0.44 W
Vertical scan range	30 - 60 Hz	Power consumption (PowerSave)	44.6 W
Viewable size, horizontal	92.9 cm	AC input voltage	100 - 240 V
Viewable size, vertical	39.2 cm	AC input frequency	50 - 60 Hz
Display diagonal (metric)	100.9 cm	Power supply type	Internal
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)	Energy efficiency scale	A to G
DDC/CI	✓	European Product Registry for Energy Labelling (EPREL) code	1550844
Haze rate	25%		
Surface hardness	3H		
sRGB coverage (typical)	134%		

Display		Operational conditions	
NTSC coverage (typical)	103%	Operating temperature (T-T)	0 - 40 °C
DCI-P3 coverage	98%	Storage temperature (T-T)	-20 - 60 °C
Display sRGB	✓	Operating relative humidity (H-H)	20 - 80%
Performance		Operating altitude	0 - 3658 m
NVIDIA G-SYNC *	✗	Non-operating altitude	0 - 12192 m
AMD FreeSync *	✗	Weight & dimensions	
VESA Adaptive Sync support	✓	Width (with stand)	948 mm
Component video sync	Separate sync	Depth (with stand)	236 mm
Flicker-free technology	✓	Height (with stand)	605 mm
Low Blue Light technology	✓	Weight (with stand)	13.5 kg
Multimedia		Width (without stand)	948 mm
Number of speakers	2	Depth (without stand)	109 mm
RMS rated power	5 W	Height (without stand)	426 mm
Built-in speaker(s) *	✓	Weight (without stand)	10.3 kg
Megapixel (approx.)	5 MP	Packaging data	
Built-in microphone	✓	Package width	1150 mm
Built-in camera *	✓	Package depth	211 mm
Design		Package height	565 mm
Product colour *	Black	Package weight	17.2 kg
Front bezel colour	Black	Packaging content	
Feet colour	Black	Stand included	✓
Ports & interfaces		Manual	✓
Built-in USB hub *	✓	Bundled software	SmartControl
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Sustainability	
Number of USB Type-B upstream ports quantity	1	Doesn't contain	Mercury, PVC/BFR
USB Type-A downstream ports quantity	4	Other features	
USB Type-C downstream ports quantity	1	Picture-by-Picture (PbP)	✓
HDMI *	✓	Exterior finish type	Textured
HDMI ports quantity	2	Picture enhancement	SmartImage
HDMI version	2.0	Recyclable packaging material	100%
DisplayPorts quantity	1	Regulatory Approvals	CB; CE Mark; FCC Class B; ICES-003; CU-EAC; EAEU RoHS; TUV Ergo; TUV/GS; TUV Eyesafe certified; cETLus
DisplayPort version	1.4	Delta E	2
Thunderbolt 4 ports quantity	1	SoftBlue	✓
Audio output	✓	EasyRead mode	✓
HDCP	✓	Philips SmartUniformity	93 - 105%
HDCP version	1.4/2.2	Mean time between failures (MTBF)	70000 h
Network		Ethernet LAN data rates	10,100,1000 Mbit/s
Ethernet LAN	✓	Wake-on-LAN	✓
Ergonomics		Recycling data	
VESA mounting *	✓	Post-consumer recycled plastic	85%
Panel mounting interface	100 x 100 mm		



8712581797416

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 21-SEP-2024. Prints or copies of Information are only valid on the printed Publication date