

Philips 40B1U6903CH/00 tietokoneen litteä näyttö 100,8 cm (39.7") 5120 x 2160 pikseliä 5K Ultra HD LCD musta

Tuotemerkki : Philips

Tuotekoodi: 40B1U6903CH/00

Tuotteen nimi : 40B1U6903CH/00

Business Monitor 40B1U6903CH 5K2K UltraWide Thunderbolt™ -näyttö

Philips 40B1U6903CH/00 tietokoneen litteä näyttö 100,8 cm (39.7") 5120 x 2160 pikseliä 5K Ultra HD LCD musta:

Philips Thunderbolt™ 4 -näyttö tarjoaa turvallisen ja luotettavan yhden kaapelin telakointiratkaisun. Kuvat ovat aina teräviä, ja keskustelut ovat selkeitä melua vaimentavan mikrofonin ansiosta. Windows Hello -web-kamera nopeuttaa käyttöä ja parantaa suojausta.

Philips 40B1U6903CH/00. Näytön halkaisija: 100,8 cm (39.7"), Näytön erottelutarkkuus: 5120 x 2160 pikseliä, HD-tyyppi: 5K Ultra HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 4 ms, Vakiokuvasuhde: 21:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 2 (3.1 Gen 2). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta



Display		Ergonomics	
Display diagonal *	100.8 cm (39.7")	Cable lock slot *	✓
Display resolution *	5120 x 2160 pixels	Cable lock slot type	Kensington
HD type *	5K Ultra HD	Height adjustment *	✓
Native aspect ratio *	21:9	Height adjustment	15 cm
Display technology *	LCD	Swivel angle range	-45 - 45°
Panel type *	IPS	Tilt angle range	-5 - 15°
Backlight type	W-LED	Picture-in-Picture	✓
Touchscreen *	✗	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Display brightness (typical)	300 cd/m ²	Plug and Play	✓
Response time *	4 ms	LED indicators	Operation, Stand-by
Anti-glare screen	✓	Power	
Screen shape *	Curved	Energy efficiency class (SDR) *	G
Screen curvature rating	2500R	Energy efficiency class (HDR) *	G
Contrast ratio (typical) *	1000:1	Energy consumption (SDR) per 1000 hours *	40 kWh
Maximum refresh rate *	50 Hz	Energy consumption (HDR) per 1000 hours *	40 kWh
Viewing angle, horizontal	178°	Power consumption (typical) *	58.3 W
Viewing angle, vertical	178°	Power consumption (standby) *	0.44 W
Display number of colours *	1.07 billion colours	Power consumption (PowerSave)	44.6 W
Pixel pitch	0.1815 x 0.1815 mm	AC input voltage	100 - 240 V
Pixel density	140 ppi	AC input frequency	50 - 60 Hz
Vertical scan range	30 - 60 Hz	Power supply type	Internal
Viewable size, horizontal	92.9 cm	Energy efficiency scale	A to G
Viewable size, vertical	39.2 cm		
Display diagonal (metric)	100.9 cm		
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)		
DDC/CI	✓		
Haze rate	25%		
Surface hardness	3H		

Display		Power	
sRGB coverage (typical)	134%	European Product Registry for Energy Labelling (EPREL) code	1550844
NTSC coverage (typical)	103%	Operational conditions	
DCI-P3 coverage	98%	Operating temperature (T-T)	0 - 40 °C
Display sRGB	✓	Storage temperature (T-T)	-20 - 60 °C
Performance		Operating relative humidity (H-H)	20 - 80%
NVIDIA G-SYNC *	✗	Operating altitude	0 - 3658 m
AMD FreeSync *	✗	Non-operating altitude	0 - 12192 m
VESA Adaptive Sync support	✓	Weight & dimensions	
Component video sync	Separate sync	Width (with stand)	948 mm
Flicker-free technology	✓	Depth (with stand)	236 mm
Low Blue Light technology	✓	Height (with stand)	605 mm
Multimedia		Weight (with stand)	13.5 kg
Number of speakers	2	Width (without stand)	948 mm
RMS rated power	5 W	Depth (without stand)	109 mm
Built-in speaker(s) *	✓	Height (without stand)	426 mm
Megapixel (approx.)	5 MP	Weight (without stand)	10.3 kg
Built-in microphone	✓	Packaging data	
Built-in camera *	✓	Package width	1150 mm
Design		Package depth	211 mm
Product colour *	Black	Package height	565 mm
Front bezel colour	Black	Package weight	17.2 kg
Feet colour	Black	Packaging content	
Ports & interfaces		Stand included	✓
Built-in USB hub *	✓	Manual	✓
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Bundled software	SmartControl
Number of USB Type-B upstream ports quantity	1	Sustainability	
USB Type-A downstream ports quantity	4	Doesn't contain	Mercury, PVC/BFR
USB Type-C downstream ports quantity	1	Other features	
HDMI *	✓	Picture-by-Picture (PbP)	✓
HDMI ports quantity	2	Exterior finish type	Textured
HDMI version	2.0	Picture enhancement	SmartImage
DisplayPorts quantity	1	Recyclable packaging material	100%
DisplayPort version	1.4	Regulatory Approvals	CB; CE Mark; FCC Class B; ICES-003; CU-EAC; EAEU RoHS; TUV Ergo; TUV/GS; TUV Eyesafe certified; cETLus
Thunderbolt 4 ports quantity	1	Delta E	2
Audio output	✓	EasyRead mode	✓
HDCP	✓	Philips SmartUniformity	93 - 105%
HDCP version	1.4/2.2	Mean time between failures (MTBF)	70000 h
Network		Ethernet LAN data rates	10,100,1000 Mbit/s
Ethernet LAN	✓	Wake-on-LAN	✓
Ergonomics		Recycling data	
VESA mounting *	✓	Post-consumer recycled plastic	85%
Panel mounting interface	100 x 100 mm		



8712581797416

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date