

Philips 49B2U6900CH/00 tietokoneen litteä näyttö 124 cm (48.8") 5120 x 1440 pikseliä Dual QHD LCD musta

Tuotemerkki : Philips

Tuotekoodi: 49B2U6900CH/00

Tuotteen nimi : 49B2U6900CH/00

Curved Business Monitor 49B2U6900CH Kaareva 32:9 SuperWide -näyttö, jossa on USB-C

Philips 49B2U6900CH/00 tietokoneen litteä näyttö 124 cm (48.8") 5120 x 1440 pikseliä Dual QHD LCD musta:

Tässä näytössä on kaikki, mitä etäyhteistyötilaan tarvitaan. Sen web-kameran uudet ominaisuudet, kuten automaattinen kehystäminen, Varattu-valo ja säätömahdollisuus, vievät videoneuvottelut aivan uudelle tasolle.

Philips 49B2U6900CH/00. Näytön halkaisija: 124 cm (48.8"), Näytön erottelutarkkuus: 5120 x 1440 pikseliä, HD-tyyppi: Dual QHD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 4 ms, Vakiokuvasuhde: 32:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 2 (3.1 Gen 2). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta



Display		Ports & interfaces	
Display diagonal *	124 cm (48.8")	HDCP	✓
Display resolution *	5120 x 1440 pixels	HDCP version	1.4/2.2
HD type *	Dual QHD	Network	
Native aspect ratio *	32:9	Ethernet LAN	✓
Display technology *	LCD	Ergonomics	
Panel type *	VA	VESA mounting *	✓
Backlight type	W-LED	Panel mounting interface	100 x 100 mm
Touchscreen *	✗	Cable lock slot *	✓
Display brightness (typical)	450 cd/m ²	Cable lock slot type	Kensington
Response time *	4 ms	Height adjustment *	✓
Anti-glare screen	✓	Height adjustment	15 cm
Screen shape *	Curved	Swivelling	✓
Contrast ratio (typical) *	3000:1	Swivel angle range	-30 - 30°
Contrast ratio (dynamic)	80000000:1	Tilt adjustment	✓
Maximum refresh rate *	75 Hz	Tilt angle range	-5 - 15°
Viewing angle, horizontal	178°	Picture-in-Picture	✓
Viewing angle, vertical	178°	On Screen Display (OSD)	✓
Display number of colours *	1.07 billion colours	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Pixel pitch	0.2328 x 0.2328 mm	Number of OSD languages	21
Pixel density	109 ppi	Plug and Play	✓
Horizontal scan range	30 - 140 kHz	LED indicators	Operation, Stand-by
Vertical scan range	48 - 75 Hz	Power	
Viewable size, horizontal	119.2 cm	Energy efficiency class (SDR) *	F
Viewable size, vertical	33.5 cm		
Display diagonal (metric)	124 cm		
High Dynamic Range (HDR) supported	✓		
High Dynamic Range (HDR) technology	DisplayHDR 400		

Display		Power	
DDC/CI	✓	Power consumption (typical) *	48.1 W
Haze rate	25%	Power consumption (standby) *	0.3 W
Surface hardness	3H	Power consumption (PowerSave)	37.5 W
Colour depth	8 bit	AC input voltage	100 - 240 V
sRGB coverage (typical)	119%	AC input frequency	50/60 Hz
NTSC coverage (typical)	97%	Power supply type	Internal
Display sRGB	✓	Operational conditions	
Performance		Operating temperature (T-T)	0 - 40 °C
VESA Adaptive Sync support	✓	Storage temperature (T-T)	-20 - 60 °C
Component video sync	Separate sync	Operating relative humidity (H-H)	20 - 80%
Flicker-free technology	✓	Operating altitude	0 - 3658 m
Low Blue Light technology	✓	Non-operating altitude	0 - 12192 m
Multimedia		Weight & dimensions	
Number of speakers	2	Width (with stand)	1193 mm
RMS rated power	10 W	Depth (with stand)	268 mm
Built-in speaker(s) *	✓	Height (with stand)	583 mm
Megapixel (approx.)	5 MP	Weight (with stand)	15.2 kg
Built-in microphone	✓	Width (without stand)	1193 mm
Built-in camera *	✓	Depth (without stand)	164 mm
Design		Height (without stand)	373 mm
Product colour *	Black	Weight (without stand)	11.6 kg
Front bezel colour	Black	Packaging data	
Feet colour	Black	Package width	1290 mm
Ports & interfaces		Package depth	475 mm
Built-in USB hub *	✓	Package height	300 mm
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Package weight	19.4 kg
USB upstream port type	USB Type-C	Packaging content	
Number of USB Type-C upstream ports quantity	2	Stand included	✓
USB Type-A downstream ports quantity	4	Manual	✓
USB Type-C downstream ports quantity	1	Bundled software	SmartControl
USB Type-C DisplayPort Alternate Mode	✓	Sustainability	
USB Power Delivery (USB PD)	✓	Doesn't contain	Mercury, PVC/BFR
USB Power Delivery up to	100 W	Other features	
HDMI *	✓	HBR3 support	✓
HDMI ports quantity	2	Picture-by-Picture (PbP)	✓
HDMI version	2.0	Exterior finish type	Textured
DisplayPorts quantity	1	Picture enhancement	SmartImage
DisplayPort version	1.4	Recyclable packaging material	100%
Audio output	✓	Regulatory Approvals	CB; CE Mark; FCC Class B; ICES-003; CU-EAC; EAEU RoHS; TUV Ergo; TUV/GS; TUV Eyesafe certified; cETLus; EAC; MEPS; PSE; TCO Certified; TCO Certified Edge
Headphone out *	✓	Delta E	2
Microphone in	✓	LowBlue mode	✓
Built-in KVM switch	✓	Philips SmartUniformity	93 - 105%
		Mean time between failures (MTBF)	70000 h
		Wake-on-LAN	✓
		Recycling data	
		Post-consumer recycled plastic	85%



8712581802554

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-DEC-2024. Prints or copies of Information are only valid on the printed Publication date