

## Chieftec Midi APEX Series GA-01B-Q-OP Midi Tower

**Tuotemerkki :** Chieftec

**Tuotekoodi:** GA-01B-Q-OP

**Tuotteen nimi :** Midi APEX Series GA-01B-Q-OP

Chieftec Midi APEX Series GA-01B-Q-OP. Kotelo: Midi Tower, Malli: PC, Tuetut emolevyt: ATX, EATX, ITX, mikro ATX, Mini-ITX, SSI CEB, SSI EEB, uATX. Asennettuja tuulettimia edessä: 1x 140 mm, Etutuuletinten tuetut koot: 120,140 mm, Sivutuuletinten tuetut koot: 120 mm. Tuetut HDD-koot: 2.5,3.5". Tuotteen leveys: 230 mm, Tuotteen syvyys: 465 mm, Tuotteen korkeus: 495 mm. Pakkauksen paino: 8,75 g



| Design  |   | Cooling                               |                    |
|---|---|---------------------------------------|--------------------|
| Material  | SPCC  | Front fans diameters supported        | 120,140 mm         |
| Form factor *                                     | Midi Tower  | Number of side fans supported (max)   | 2                  |
| Type *  | PC  | Side fans diameters supported         | 120 mm             |
| Supported motherboard form factors *              | ATX, EATX, ITX, micro ATX, Mini-ITX, SSI CEB, SSI EEB, uATX | Rear fans installed                   | 1x 140 mm          |
| Number of 3.5" bays *                             | 2   | Number of rear fans supported (max)   | 1                  |
| Number of 2.5" bays                               | 2   | Rear fans diameters supported         | 120,140 mm         |
| Number of internal 3.5" bays                      | 2   | Number of top fans supported (max)    | 3                  |
| Number of storage drives supported                | 4   | Bottom fans installed                 | 1x 120 mm          |
| Number of expansion slots                         | 7   | Number of bottom fans supported (max) | 2                  |
| Full-Height expansion slots                       | 7   | Bottom fans diameters supported       | 120 mm             |
| Side window                                       | ✗   | Liquid cooling capability             | ✓                  |
| Illumination                                      | ✗   | Liquid cooling installed              | ✗                  |
| Tempered glass panel(s)                           | ✗   | Front radiator sizes supported        | 240,280,360,420 mm |
| Heat sink included                                | ✗   | Top radiator sizes supported          | 240,280,360 mm     |
| Anti-dust filter                                  | ✓   | Storage                               |                    |
| Cable management                                  | ✓   | Supported HDD sizes *                 | 2.5,3.5"           |
| Maximum CPU cooler height                         | 17.5 cm   | Weight & dimensions                   |                    |
| Maximum graphics card length                      | 40 cm   | Width                                 | 230 mm             |
| Maximum PSU length                                | 22 cm   | Depth                                 | 465 mm             |
| Power supply                                      |   | Height                                | 495 mm             |
| Power supply included *                           | ✗   | Weight                                | 7.3 g              |
| Ports & interfaces                                |   | Material thickness                    | 0.6 mm             |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * | 2   | Packaging data                        |                    |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity * | 1   | Package weight                        | 8.75 g             |

**Cooling**

|                                      |           |
|--------------------------------------|-----------|
| Front fans installed                 | 1x 140 mm |
| Number of front fans supported (max) | 3         |



0753263078643



753263078643

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.