

PHILIPS

Philips Momentum 24M1N3200VA/00 LED display 60.5 cm (23.8") 1920 x 1080 pixels Full HD Black

Brand : Philips

Product family: Momentum

Product code:
24M1N3200VA/00

Product name :
24M1N3200VA/00

Gaming Monitor 24M1N3200VA Full HD gaming monitor

Philips Momentum 24M1N3200VA/00 LED display 60.5 cm (23.8") 1920 x 1080 pixels Full HD Black:


This Philips gaming monitor is an ideal all-around display for intense PC games. A rapid 165 Hz refresh rate and 1 ms response time deliver smooth gameplay. Includes a visually immersive slim-frame display and Ultra Wide-Color.

Philips Momentum 24M1N3200VA/00. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Display surface: Matt, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	60.5 cm (23.8")	Pivot angle	-90 - 90°
Display resolution *	1920 x 1080 pixels	Swivelling	✓
HD type *	Full HD	Swivel angle range	-45 - 45°
Native aspect ratio *	16:9	Tilt adjustment	✓
Display technology *	LED	Tilt angle range	-5 - 20°
Panel type *	VA	On Screen Display (OSD)	✓
Backlight type	W-LED	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Touchscreen *	✗		
Display brightness (typical)	350 cd/m²	Number of OSD languages	21
Response time *	4 ms	Plug and Play	✓
Display surface	Matt	LED indicators	Operation, Stand-by
Anti-glare screen	✓	Power	
Screen shape *	Flat	Energy efficiency class (SDR) *	E
Aspect ratio	16:9	Power consumption (typical) *	21 W
Contrast ratio (typical) *	3500:1	Power consumption (standby) *	0.5 W
Dynamic contrast ratio marketing name	Mega Infinity DCR	Power consumption (off)	0.3 W
Maximum refresh rate *	165 Hz	AC input voltage	100 - 240 V
Viewing angle, horizontal	178°	AC input frequency	50 - 60 Hz
Viewing angle, vertical	178°	Power supply type	External
Display number of colours *	16.7 million colours	European Product Registry for Energy Labelling (EPREL) code	891399
Response time (fast)	1 ms	Operational conditions	
Pixel pitch	0.2745 x 0.2745 mm	Operating temperature (T-T)	0 - 40 °C
Pixel density	92.56 ppi	Storage temperature (T-T)	-20 - 60 °C
Horizontal scan range	30 - 200 kHz	Operating relative humidity (H-H)	20 - 80%
Vertical scan range	48 - 165 Hz	Operating altitude	0 - 3658 m
Viewable size, horizontal	52.7 cm	Non-operating altitude	0 - 12192 m
Viewable size, vertical	29.6 cm		
Display diagonal (metric)	60.5 cm		
DDC/CI	✓		
Haze rate	25%		

Display		Weight & dimensions	
Surface hardness	3H	Width (with stand)	540 mm
sRGB coverage (typical)	125.9%	Depth (with stand)	213 mm
NTSC coverage (typical)	96%	Height (with stand)	513 mm
Adobe RGB coverage	87.5%	Weight (with stand)	3.8 kg
Display sRGB	✓	Width (without stand)	540 mm
Performance		Depth (without stand)	43 mm
NVIDIA G-SYNC *	✗	Height (without stand)	321 mm
AMD FreeSync *	✓	Weight (without stand)	2.4 kg
AMD FreeSync type	FreeSync Premium	Packaging data	
Component video sync	Separate sync	Package width	600 mm
Flicker-free technology	✓	Package depth	164 mm
Low Blue Light technology	✓	Package height	526 mm
Multimedia		Package weight	5.75 kg
Number of speakers	2	Package type	Box
RMS rated power	6 W	Packaging content	
Built-in speaker(s) *	✓	Stand included	✓
Built-in camera *	✗	Cables included	HDMI, DisplayPort, AC
Design		Manual	✓
Market positioning *	Gaming	Sustainability	
Product colour *	Black	Doesn't contain	Mercury, PVC/BFR
Ports & interfaces		Other features	
Built-in USB hub *	✗	Low input lag	✓
HDMI *	✓	Compatible operating systems	Mac OS X, Windows 10 / 8.1 / 8 / 7
HDMI ports quantity	2	Exterior finish type	Textured
HDMI version	2.0	Picture enhancement	SmartImage game
DisplayPorts quantity	1	Recyclable packaging material	100%
DisplayPort version	1.2	Regulatory Approvals	CB; CE Mark; FCC Class B; ICES-003; CU-EAC; EAEU RoHS; TUV/ISO9241-307; TUV-BAUART
Audio output	✓	Heavy metals free	Hg (mercury)
HDCP	✓	EasyRead mode	✓
Ergonomics		LowBlue mode	✓
VESA mounting *	✓	Compliance certificates	RoHS
Panel mounting interface	100 x 100 mm	Mean time between failures (MTBF)	50000 h
Cable lock slot *	✓	Certification	CB, CE Mark, FCC Class B, ICES-003, CU-EAC, EAEU RoHS, TUV/ISO9241-307, TUV-BAUART
Cable lock slot type	Kensington	Logistics data	
Height adjustment *	✓	Harmonized System (HS) code	85285210
Height adjustment	13 cm		
Pivot	✓		



8712581781088

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-NOV-2024. Prints or copies of Information are only valid on the printed Publication date