

PHILIPS

## Philips Evnia 27M2N3200S/00 LED display 68,6 cm (27") 1920 x 1080 pikseliä Full HD LCD musta

**Tuotemerkki :** Philips

**Tuoteperhe:** Evnia

**Tuotekoodi:** 27M2N3200S/00

**Tuotteen nimi :**  
27M2N3200S/00

Gaming Monitor 27M2N3200S Full HD -pelinäyttö

Philips Evnia 27M2N3200S/00 LED display 68,6 cm (27") 1920 x 1080 pikseliä Full HD LCD musta:

Tällä näytöllä voit pelata huipputarkasti ja -nopeasti 180 Hz:n taajuudella. Terävän HDR-laatuksen kuvan ja Full HD -tarkkuuden ansiosta tämä näyttö takaa erinomaisen ja monipuolisen pelikokemuksen. Philips Evnia 27M2N3200S/00. Näytön halkaisija: 68,6 cm (27"), Näytön erottelutarkkuus: 1920 x 1080 pikseliä, HD-tyyppi: Full HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 4 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	VESA mounting *	✓
Display resolution *	1920 x 1080 pixels	Panel mounting interface	100 x 100 mm
HD type *	Full HD	Cable lock slot *	✓
Native aspect ratio *	16:9	Cable lock slot type	Kensington
Display technology *	LCD	Height adjustment *	✓
Panel type *	IPS	Height adjustment	13 cm
LED backlight	✓	Pivot	✓
Backlight type	W-LED	Pivot angle	-90 - 90°
Touchscreen *	✗	Swivelling	✓
Display brightness (typical)	250 cd/m <sup>2</sup>	Swivel angle range	-45 - 45°
Response time *	4 ms	Tilt adjustment	✓
Anti-glare screen	✓	Tilt angle range	-5 - 20°
Screen shape *	Flat	On Screen Display (OSD)	✓
Contrast ratio (typical) *	1100:1	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Dynamic contrast ratio marketing name	Mega Infinity DCR	Number of OSD languages	21
Maximum refresh rate *	165 Hz	Plug and Play	✓
Viewing angle, horizontal	178°	LED indicators	Operation, Stand-by
Viewing angle, vertical	178°		
Display number of colours *	16.7 million colours		
Response time (fast)	1 ms		
Pixel pitch	0.3114 x 0.3114 mm		
Pixel density	81.59 ppi		
Horizontal scan range	30 - 200 kHz		
Vertical scan range	48 - 165 Hz		
Viewable size, horizontal	59.8 cm		
Viewable size, vertical	33.6 cm		
Digital horizontal frequency	30 - 160 kHz		
Digital vertical frequency	48 - 165 Hz		
Display diagonal (metric)	68.5 cm		
DDC/CI	✓		
Haze rate	25%		
		<b>Power</b>	
		Power consumption (typical) *	28.2 W
		Power consumption (standby) *	0.5 W
		Power consumption (off)	0.3 W
		AC input voltage	100 - 240 V
		AC input frequency	50/60 Hz
		Power supply type	Internal
		<b>Operational conditions</b>	
		Operating temperature (T-T)	0 - 40 °C
		Storage temperature (T-T)	-20 - 60 °C

<b>Display</b>		<b>Operational conditions</b>	
Surface hardness	3H	Operating relative humidity (H-H)	20 - 80%
Colour gamut standard	sRGB	Operating altitude	0 - 3658 m
Display sRGB	✓	Non-operating altitude	3658 - 12192 m
<b>Performance</b>		<b>Weight &amp; dimensions</b>	
NVIDIA G-SYNC *	✓	Width (with stand)	612 mm
NVIDIA G-SYNC type	G-SYNC Compatible	Depth (with stand)	236 mm
AMD FreeSync *	✓	Height (with stand)	543 mm
AMD FreeSync type	FreeSync Premium	Weight (with stand)	5.3 kg
Component video sync	Separate sync	Width (without stand)	612 mm
Flicker-free technology	✓	Depth (without stand)	55 mm
Low Blue Light technology	✓	Height (without stand)	365 mm
<b>Multimedia</b>		<b>Packaging data</b>	
Number of speakers	2	Package width	780 mm
RMS rated power	4 W	Package depth	224 mm
Built-in speaker(s) *	✓	Package height	521 mm
Built-in camera *	✗	Package weight	9.96 kg
<b>Design</b>		<b>Sustainability</b>	
Market positioning *	Gaming	Sustainability compliance	✓
Product colour *	Black	Doesn't contain	Mercury, PVC/BFR
<b>Ports &amp; interfaces</b>		<b>Other features</b>	
Built-in USB hub *	✗	Low input lag	✓
HDMI *	✓	Compatible operating systems	Mac OS X Windows 10 / 8.1 / 8 / 7
HDMI ports quantity	2	Exterior finish type	Textured
HDMI version	2.0	Picture enhancement	SmartImage game
DisplayPorts quantity	1	Recyclable packaging material	100%
DisplayPort version	1.2	Regulatory Approvals	CB, CCC, CECP, CEL, CE Mark, FCC Class B, ICES-003
Audio output	✓	Heavy metals free	Hg (mercury)
HDCP	✓	EasyRead mode	✓
HDCP version	1.4/2.2	LowBlue mode	✓
		Compliance certificates	RoHS
		Mean time between failures (MTBF)	50000 h



8712581805876

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-DEC-2024. Prints or copies of Information are only valid on the printed Publication date