

TP-Link 150Mbps Wireless N Nano USB Adapter

Brand: TP-Link Product code: TL-WN725N V3

Product name: 150Mbps Wireless N Nano USB Adapter

150Mbps Wireless N Nano USB adapter, 802.11 b/g/n, USB 2.0, Black

TP-Link 150Mbps Wireless N Nano USB Adapter:

Add on, Leave on

150Mbps Wireless N Nano USB Adapter

Great Surfing Experience with Nano USB Adapter

As a Wireless N Nano USB adapter, TL-WN725N allows users to connect a desktop or notebook computer to a wireless network at speed of up to 150Mbps, which is ideal for smooth video streaming, voice streaming and online gaming.

Miniature Design Brings Infinite Convenience

TL-WN725N is designed to be as convenient as possible. With its miniature size and sleek design, users can connect the nano adapter to any USB port and leave it there, no matter when they are traveling or at home.

Easy Setup

A friendly user interface on a CD for simple installation

Advanced Security

WPA/WPA2 encryption standards ensure wireless connection's safety.

Operating System

Supports Windows, Mac OS, Linux





| Ports & interfaces | | System requirements | |
|---|---|---|--|
| Connectivity technology * Host interface * Interface * Network Maximum data transfer rate * | Wireless USB WLAN 150 Mbit/s | Windows operating systems supported | Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64 |
| Networking standards * Wi-Fi Wi-Fi band Frequency range Top Wi-Fi standard Wi-Fi standards WLAN data transfer rates supported | IEEE 802.11b, IEEE 802.11g, IEEE 802.11n ✓ Single-band (2.4 GHz) 2.4 - 2.4835 GHz Wi-Fi 4 (802.11n) 802.11b, 802.11g, Wi-Fi 4 (802.11n) 11,54,150 Mbit/s | | |
| Modulation | 16-QAM, 64-QAM, CCK, DBPSK, | Operational conditions | |
| Security algorithms Design | DQPSK, OFDM 128-bit WEP, 64-bit WEP, 802.1x RADIUS, WPA, WPA-PSK, WPA-TKIP, WPA2, WPA2-PSK | Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) | 0 - 40 °C -40 - 70 °C 10 - 90% 5 - 90% |
| Component for * | PC/Laptop | Weight & dimensions | |
| Product colour Internal * Antenna Antenna design | Black X Internal | Width Depth Height Weight | 18.6 mm 14.8 mm 6.9 mm 2.1 g |
| Certification | CE, FCC, IC | Packaging data | |
| Power | | Package width | 138 mm |
| USB powered | ✓ | Package depth Package height | 128 mm 30 mm |

| Packaging data | | |
|-------------------------|------|--|
| Package weight | 90 g | |
| Technical details | | |
| Compliance certificates | RoHS | |
| Other features | | |
| Quick start guide | ✓ | |

