



TP-Link TL-SG108 Hallitsematon Gigabit Ethernet (10/100/1000) musta

Tuotemerkki : TP-Link

Tuotekoodi: TL-SG108 V4


Tuotteen nimi : TL-SG108

TP-Link TL-SG108. Kytin tyyppi: Hallitsematon. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 8. Täysin kaksipuolinen. MAC-osoitetaulukko: 4000 entries, Kytkentäkapasiteetti: 16 Gbit/s. Verkkostandardit: IEEE 802.1p, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. Virtaliitin: DC-tulo jakkiliitin



Management features		Power	
Switch type *	Unmanaged	Power source *	DC
Quality of Service (QoS) support	✓	Power supply included *	✓
Ports & interfaces		Input current	0.6 A
Basic switching RJ-45 Ethernet ports quantity *	8	Input voltage	9 V
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Power consumption (max)	3.31 W
Gigabit Ethernet (copper) ports quantity	8	Power over Ethernet (PoE)	
Power connector	DC-in jack	Power over Ethernet (PoE) *	✗
Network		Other features	
Networking standards *	IEEE 802.1p, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	Connectivity technology	Wired
10G support *	✗	Bandwidth	16 Gbit/s
Full duplex	✓	Packet transfer speed	14880pps/148800pps/1488000pps
Flow control support	✓	Wi-Fi	✗
Auto MDI/MDI-X	✓	Power LED	✓
Ethernet LAN data rates	10,100,1000 Mbit/s	Ethernet LAN	✓
Auto-negotiation	✓	Ethernet interface type	Gigabit Ethernet
Data transmission		Operational conditions	
Supported data transfer rates	10/100/1000Mbps	Operating temperature (T-T)	0 - 40 °C
Switching capacity *	16 Gbit/s	Storage temperature (T-T)	-40 - 70 °C
Forwarding rate	11.9 Mpps	Operating relative humidity (H-H)	10 - 90%
MAC address table *	4000 entries	Storage relative humidity (H-H)	5 - 90%
Store-and-forward	✓	Weight & dimensions	
Maximum data transfer rate	2 Gbit/s	Width	158 mm
Jumbo frames support	✓	Depth	101 mm
		Height	25 mm
		Packaging content	
		User guide	✓

Data transmission		Packaging data	
Jumbo frames	16000	Package width	130 mm
Packet buffer memory	1.5 MB	Package depth	191 mm
Security		Package height	92 mm
IGMP snooping	✓	Package weight	510 g
Protocols		Certificates	
Switching protocols	CSMA/CD	Certification	CE, FCC, RoHS
Design		Logistics data	
Product colour	Black	Harmonized System (HS) code	85176990
LED indicators	✓		



0845973021153



845973021153



6935364021153



6935364021337



6935364098117

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 19-DEC-2024. Prints or copies of Information are only valid on the printed Publication date