TP-Link TL-SG1005D Hallitsematon Gigabit Ethernet (10/100/1000) musta

Tuotemerkki : TP-Link

Tuotekoodi: TL-SG1005D V4

Tuotteen nimi : TL-SG1005D

TP-Link TL-SG1005D. Kytkin tyyppi: Hallitsematon. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 5. Täysin kaksipuolinen. MAC-osoitetaulukko: 8000 entries, Kytkentäkapasiteetti: 10 Gbit/s. Verkkostandardit: IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x. Virtaliitin: DC-tulo jakkiliitin

Management features

Switch type *	Unmanaged

Ports & interfaces

Basic switching RJ-45 Ethernet ports quantity *	5
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)
Gigabit Ethernet (copper) ports quantity	5
Power connector	DC-in jack

Network

Networking standards *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x
10G support *	✘
Full duplex	✔
Half duplex	✔
Flow control support	✔
Auto MDI/MDI-X	✔
Auto-negotiation	✔
MAC address auto-learning supported	✔
MAC address auto-aging supported	✔

Data transmission

Switching capacity *	10 Gbit/s
MAC address table *	8000 entries
Store-and-forward	✔
Jumbo frames support	✔
Jumbo frames	15000

Design

Rack mounting *	✘
Stackable *	✘
Product colour	Black
LED indicators	✔

Performance

Compatible operating systems	Microsoft Windows 2000/XP/2003/Vista/2008/7/2012/8/10, MacOS, NetWare, UNIX, Linux
Maximum cable length	100 m
Fanless	✔

Power

Power source *	DC
Power supply included *	✘
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Input current	0.6 A
Input voltage	9 V
Power consumption (max)	2.47 W

Power over Ethernet (PoE)

Power over Ethernet (PoE) *	✘

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
Heat dissipation	8.22 BTU/h

Weight & dimensions

Width	165 mm
Depth	108 mm
Height	28 mm

Packaging content

Quick start guide	✔

Packaging data

Package width	108 mm
Package depth	145 mm
Package height	85 mm

Design			Packaging data	
Number of fans	0 fan(s)		Package weight	180 g
			Logistics data	
			Harmonized System (HS) code	85176990

0845973020255

845973020255

9789800359785

6935364091798

8592978038939