

Philips B Line LCD-näyttö ja PowerSensor 240B7QPTEB/00

Tuotemerkki : Philips

Tuoteperhe: B Line

Tuotekoodi: 240B7QPTEB/00

Tuotteen nimi : LCD-näyttö ja PowerSensor 240B7QPTEB/00

- B-line
- 24 (näyttö 24,1" / 61,1 cm)
- WUXGA (1 920 x 1 200)
- Brilliance 240B7QPTEB LCD-näyttö ja PowerSensor

Philips B Line LCD-näyttö ja PowerSensor 240B7QPTEB/00:

Philips PowerSensor -näyttö soveltuu ympäristöystävälliseen ja tehokkaaseen käyttöön, sillä siinä ei ole PVC- eikä BFR-muovia ja sen valmistusmateriaalista 85 % on kuluttajien kierrättämää muovia. Philips B Line LCD-näyttö ja PowerSensor 240B7QPTEB/00. Näytön halkaisija: 61,2 cm (24.1"), Näytön erottelutarkkuus: 1920 x 1200 pikseliä, HD-tyyppi: WUXGA, Näytön teknologia: LED. Näyttö: LED. Vasteaika (tyypillinen): 5 ms, Vakiokuvasuhde: 16:10, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta



Display		Ergonomics	
Display diagonal *	61.2 cm (24.1")	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Display resolution *	1920 x 1200 pixels	Number of OSD languages	19
HD type *	WUXGA	Plug and Play	✓
Native aspect ratio *	16:10	LED indicators	Operation, Stand-by
Display technology *	LED	Power	
Panel type *	IPS	Energy efficiency class (SDR) *	E
Backlight type	W-LED	Energy consumption (SDR) per 1000 hours *	19 kWh
Touchscreen *	✗	Power consumption (typical) *	12.18 W
Display brightness (typical)	300 cd/m ²	Power consumption (standby) *	0.3 W
Response time *	5 ms	Power consumption (off)	0 W
Screen shape *	Flat	Power consumption (PowerSave)	15.2 W
Supported graphics resolutions	1920 x 1200 (WUXGA)	AC input voltage	100 - 240 V
Aspect ratio	16:10	AC input frequency	50 - 60 Hz
Contrast ratio (typical) *	1000:1	Power supply type	Internal
Contrast ratio (dynamic)	20000000:1	Energy efficiency scale	A to G
Dynamic contrast ratio marketing name	SmartContrast	European Product Registry for Energy Labelling (EPREL) code	398389
Maximum refresh rate *	60 Hz	Operational conditions	
Viewing angle, horizontal	178°	Operating temperature (T-T)	0 - 40 °C
Viewing angle, vertical	178°	Storage temperature (T-T)	-20 - 60 °C
Display number of colours *	16.7 million colours	Operating relative humidity (H-H)	20 - 80%
Pixel pitch	0.27 x 0.27 mm	Operating altitude	0 - 3658 m
Horizontal scan range	30 - 83 kHz	Non-operating altitude	0 - 12192 m
Vertical scan range	56 - 76 Hz	Relative humidity	20 - 80%
Viewable size, horizontal	51.8 cm		
Viewable size, vertical	32.4 cm		
Digital horizontal frequency	30 - 83 kHz		
Digital vertical frequency	56 - 76 Hz		
Sync-on-green (SOG)	✓		
Display diagonal (metric)	61.1 cm		

Display		Weight & dimensions	
DDC/CI	✓	Width (with stand)	533 mm
Colour gamut standard	sRGB	Depth (with stand)	257 mm
3D	✗	Height (with stand)	549 mm
Separate H/V sync	✓	Weight (with stand)	6.57 kg
Display sRGB	✓	Width (without stand)	533 mm
Performance		Depth (without stand)	57 mm
Component video sync	Separate sync, Sync-on-green (SOG)	Height (without stand)	360 mm
Flicker-free technology	✓	Weight (without stand)	4.14 kg
Windows operating systems supported	✓	Packaging data	
Mac operating systems supported	✓	Package width	595 mm
Multimedia		Package depth	224 mm
Number of speakers	2	Package height	520 mm
RMS rated power	2 W	Package weight	9.25 kg
Built-in speaker(s) *	✓	Packaging content	
Built-in camera *	✗	Stand included	✓
Design		Cables included	AC, Audio (3.5mm), DisplayPort, VGA
Market positioning *	Home	Remote control included	✗
Product colour *	Black	Manual	✓
Front bezel colour	Black	Bundled software	SmartControl
Feet colour	Black	Sustainability	
Ports & interfaces		Sustainability certificates	ENERGY STAR, TCO
USB version	3.2 Gen 1 (3.1 Gen 1)	Doesn't contain	PVC/BFR, Mercury
Built-in USB hub *	✓	Other features	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Display	LED
VGA (D-Sub) ports quantity	1	On/off switch	✓
DVI port	✗	TV tuner integrated	✗
HDMI ports quantity	1.4	Exterior finish type	Textured
HDMI version	1.4	Recyclable packaging material	100%
DisplayPorts quantity	1.2	Heavy metals free	Hg (mercury)
DisplayPort version	1.2	ECO mode	✓
Mini DisplayPorts quantity	1	Mac compatibility	✓
Headphone out *	✓	USB charging port	✓
Headphone outputs	1	No flickering	✓
PC Audio in	✓	Compliance certificates	RoHS
AC (power) in	✓	Recommended resolution	1920 x 1200 @ 60 Hz
DisplayPort output	✓	Picture enhancement	SmartImage
Ergonomics		Regulatory Approvals	CE Mark; FCC Class B; SEMKO; cETLus; CU-EAC; TUV Ergo; TUV/GS; EPA; WEEE; ICES-003; UKRAINIAN
VESA mounting *	✓	Active display area (W x H)	518 x 324 mm
Panel mounting interface	100 x 100 mm	Mean time between failures (MTBF)	70000 h
Cable lock slot *	✓	Compliance industry standards	
Cable lock slot type	Kensington	CE Mark, FCC Class B, SEMKO, cETLus, CU-EAC, TCO edge, TUV Ergo, TUV/GS, EPA, WEEE, ICES-003, UKRAINIAN	
Height adjustment *	✓	Certification	
Height adjustment	15 cm	CE Mark, FCC Class B, SEMKO, cETLus, CU-EAC, TUV Ergo, TUV/GS, EPA, WEEE, ICES-003, UKRAINIAN	
Pivot	✓	Recycling data	
Pivot angle	90 - 90°	Total amount of recyclable materials	85%
Swivelling	✓	Post-consumer recycled plastic	85%
Swivel angle range	-175 - 175°	Thin Client	
Tilt adjustment	✓	Thin client installed	✗
Tilt angle range	-5 - 30°		
On Screen Display (OSD)	✓		



8712581740023

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-DEC-2024. Prints or copies of Information are only valid on the printed Publication date