



DELL PowerEdge R760XS server 960 GB Rack (2U) Intel® Xeon® Gold 5416S 2 GHz 32 GB DDR5-SDRAM 1100 W

Brand : DELL

Product family: PowerEdge

Product code: 62VFG

Product name : R760XS



- No OS

- Intel Xeon Gold 5416S (30MB Cache, 2GHz)

- 32GB DDR5-SDRAM (1 x 32) & 960GB SSD

- iDRAC9, Enterprise 16G

Intel Xeon Gold 5416S (30MB Cache, 2GHz), 32GB DDR5-SDRAM, 960GB SSD, LAN, PERC H755, iDRAC9, Enterprise 16G, 2 x 1100W, No OS

[DELL PowerEdge R760XS server 960 GB Rack \(2U\) Intel® Xeon® Gold 5416S 2 GHz 32 GB DDR5-SDRAM 1100 W:](#)



The perfect blend of performance and density

Run the most popular IT applications with ease thanks to the balanced compute and flexible storage of this air-cooled server.

DELL PowerEdge R760XS. Processor family: Intel® Xeon® Gold, Processor frequency: 2 GHz, Processor model: 5416S. Internal memory: 32 GB, Internal memory type: DDR5-SDRAM, Memory layout (slots x size): 1 x 32 GB. Total storage capacity: 960 GB. Ethernet LAN, Cabling technology: 10/100/1000Base-T(X). Power supply: 1100 W, Redundant power supply (RPS) support. Chassis type: Rack (2U)

Processor		Ports & interfaces	
Processor manufacturer *	Intel	Ethernet LAN (RJ-45) ports *	2
Processor family *	Intel® Xeon® Gold	USB 2.0 ports quantity	2
Processor model *	5416S	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
Processor frequency *	2 GHz	VGA (D-Sub) ports quantity	2
Processor boost frequency	4 GHz	Power cables quantity	2
Processor cores	16		
Processor cache	30 MB	Design	
Motherboard chipset	Intel C741	Chassis type *	Rack (2U)
Number of processors installed	1	Product colour	Black
Thermal Design Power (TDP)	150 W	Rack rails	✓
Maximum internal memory supported by processor	512 GB	Bezel	✓
Memory		Performance	
Internal memory *	32 GB	Remote administration	iDRAC9, Enterprise 16G
Internal memory type *	DDR5-SDRAM	Software	
Buffered memory type	Registered (buffered)	Operating system installed *	✗
Memory ranking	2	Compatible operating systems *	Canonical Ubuntu Server LTS Microsoft Windows Server with Hyper-V Red Hat Enterprise Linux SUSE Linux Enterprise Server VMware vSAN/ESXi
Memory slots	16x DIMM		
Memory layout (slots x size)	1 x 32 GB	Power	
Memory data transfer rate	4800 MT/s	Redundant power supply (RPS) support *	✓
Maximum internal memory *	1 TB	Power supply *	1100 W
Storage		Number of redundant power supplies supported	2
Total storage capacity *	960 GB	Number of redundant power supplies installed	2
Number of SSDs installed	2	Power supply input voltage	100 - 240 V
SSD capacity	480 GB	Power cable length	2 m
SSD interface	SATA III	Power cable connector 1	C13 coupler
SSD size	2.5"	Power cable connector 2	C14 coupler
Supported SSD sizes	3.5"	Power cable current	12 A
Number of SSDs supported	8		
RAID support *	✓		
Supported RAID controllers	PERC H755		
Hot-Plug support	✓		

Storage		Operational conditions	
Optical drive type *	✘	Storage temperature (T-T)	-40 - 65 °C
Internal drive bays	8	Storage relative humidity (H-H)	5 - 95%
Supported storage drive interfaces	SAS, Serial ATA	Operating altitude	0 - 3048 m
Storage drive adapter included	✔	Non-operating altitude	0 - 12000 m
Storage drive adapter type	2.5" - 3.5"	Weight & dimensions	
Network		Width	482 mm
Ethernet LAN	✔	Height	86.8 mm
Cabling technology	10/100/1000Base-T(X)	Weight	28.6 kg
Ethernet interface type	Gigabit Ethernet	Other features	
		Data transfer rate	6 Gbit/s
		Bytes per sector	512



5397184843529

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 21-SEP-2024. Prints or copies of Information are only valid on the printed Publication date