

Epson TM-S9000II-MJ (032): 130DPM, 1 pocket


Brand : Epson

Product code: A41CG59032

Product name : TM-S9000II-MJ (032): 130DPM, 1 pocket

TM-S9000II-MJ (032): 130DPM, 1 pocket

[Epson TM-S9000II-MJ \(032\): 130DPM, 1 pocket:](#)



Truly multifunctional

In addition to its advanced cheque scanning features, the TM-S9000II-MJ also offers two-sided, 24-bit colour ID scanning an inkjet printer for cashier cheque filling and a thermal receipt printer.

Easy to use

This easy to use and maintain cheque scanner also features, advanced self-diagnostics and an intuitive LCD display that keeps the user informed of the device status at all times, and communicates when interventions are needed.

More than just cheque scanning

In addition to supporting traditional financial markets, the TM-S9000II-MJ also serves other niche markets such as restaurant vouchers and pharmacy prescriptions - speeding up processing times and eliminating unnecessary human intervention.

Stylish Design

Black version fits seamlessly into most environments. Efficient MSR design for improved usability. Compact design - small footprint.

Printing		Weight & dimensions	
Print technology *	Direct thermal	Width	250 mm
Maximum resolution *	180 x 180 DPI	Depth	375 mm
Maximum printing width *	21.5 cm	Height	206 mm
Paper handling		Weight	5.3 kg
Maximum roll diameter	8.3 cm	Packaging data	
Media thickness	0.08 - 0.2 mm	Quantity per pack	1 pc(s)
Supported paper width	80 mm	Package width	375 mm
Maximum media length	23.5 cm	Package depth	400 mm
Autocutter durability	2 million cuts	Package height	300 mm
Performance		Package weight	7.32 kg
Mean time between failures (MTBF)	180000 h	Logistics data	
Mean cycles between failures (MCBF)	4940000	Products per pallet layer	6 pc(s)
Maximum text length per line	169 characters	Products per pallet layer (UK)	6 pc(s)
Alphanumeric memory	95	Products per pallet (UK)	42 pc(s)
Certification	CE, EN55024, EN55032 Class A, Directive 2014/30/EU	Pallet weight (UK)	0 g
Design		Pallet length (UK)	120 cm
Product colour *	Black	Pallet width (UK)	100 cm
Power		Pallet height (UK)	2.25 m
AC input voltage	24 V	Harmonized System (HS) code	84433210
Power plug type	Type C	Pallet gross width	80 cm
Operational conditions		Pallet gross length	120 cm
Operating relative humidity (H-H)	20 - 80%	Pallet gross height	2.25 m
Storage relative humidity (H-H)	20 - 85%	Pallet gross weight	0 g
Operating temperature (T-T)	10 - 35 °C	Products per pallet	42 pc(s)
		Technical details	
		Font size	1.41 mm (W) x 3.39 mm (H) / 0.99 mm (W) x 2.4 mm (H)
		Other features	
		Safety	TÜV (EN62368-1)
		Standard input capacity	100 sheets

Other features

Country of origin

China



8715946651224

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 19-NOV-2024. Prints or copies of Information are only valid on the printed Publication date