

## Epson TM-S2000II-MJ (012): 130DPM, 2 pockets

**Brand :** Epson

**Product code:** A41CG60012

**Product name :** TM-S2000II-MJ (012): 130DPM, 2 pockets

TM-S2000II-MJ (012): 130DPM, 2 pockets

[Epson TM-S2000II-MJ \(012\): 130DPM, 2 pockets:](#)

### Truly multifunctional

In addition to its advanced cheque-scanning features, the TM-S2000II-MJ also offers two-sided, 24-bit color ID scanning and an inkjet printer for cashier cheque filling.

### Easy to use

This easy to use and maintain cheque scanner also features, advanced self-diagnostics and an intuitive LCD display that keeps the user informed of the device status at all times, and communicates when interventions are needed.

### More than just cheque scanning

In addition to supporting the traditional financial markets, the TM-S2000II-MJ also serves other niche markets such as restaurant vouchers and pharmacy prescriptions - speeding up processing times and eliminating unnecessary human intervention.

### Stylish Design

Black version fits seamlessly into most environments. Efficient MSR design for improved usability. Compact design - small footprint.



<b>Scanning</b>		<b>Packaging data</b>	
Maximum scan size *	109.728 x 255 mm	Package width	250 mm
Optical scanning resolution *	300 x 300 DPI	Package depth	400 mm
Colour scanning	✓	Package height	295 mm
Duplex scanning *	✓	Package weight	5.62 kg
Greyscale levels	256	<b>Operational conditions</b>	
ID card resolutions	200 x 200,300 x 300,600 x 600	Operating temperature (T-T)	10 - 35 °C
Scanner throughput	130 dpm	Storage temperature (T-T)	-20 - 40 °C
<b>Design</b>		Operating relative humidity (H-H)	20 - 80%
Scanner type *	Business card scanner	Storage relative humidity (H-H)	20 - 85%
Product colour *	Black	<b>Certificates</b>	
Built-in display *	✓	Certification	CE, EN55024, EN55032 Class A, Directive 2014/30/EU
<b>Performance</b>		<b>Weight &amp; dimensions</b>	
Sensor type *	CIS	Width	167 mm
Scan file formats	BMP, JPEG, TIFF	Depth	410 mm
Mean cycles between failures (MCBF)	4940000	Height	206 mm
Mean time between failures (MTBF)	180000 h	Weight	4.1 kg
Built-in MICR	✓	<b>Packaging content</b>	
MICR font set	CMC-7, E-13B	Cables included	USB
Built-in OCR	✓	Quick start guide	✓
<b>Input capacity</b>		AC adapter included	✓
Standard input capacity	100 sheets	<b>Other features</b>	
Auto document feeder (ADF) input capacity	100 sheets	Scan speed (max)	1000 mm/sec
<b>Paper handling</b>		Scan speed (ID card)	118 mm/sec
Scanning media types supported	Plain paper, Plastic Card	Safety	TÜV (EN62368-1)
ID-card slot	✓	Print technology	Inkjet
ID-cards (ISO/IEC 7810) compliant	✓	Maximum media length	23.5 cm
Card thickness (max)	0.2 mm	Media thickness	0.08 - 0.2 mm
Plastic card media weight	60 - 120 g/m <sup>2</sup>	Printing height	5.08 cm
		Print head life	6000 million shots/nozzle

<b>Paper handling</b>		<b>Other features</b>	
Maximum scan width	12 cm	Endorsement printing	✓
Maximum scan length	23.5 cm	Character structure	Font A: 12 x 24, Font B: 9 x 17
<b>Ports &amp; interfaces</b>		Maximum text length per line	169 characters
USB port *	✓	<b>Logistics data</b>	
USB version	2.0	Products per pallet	63 pc(s)
USB connector type	USB Type-A	Pallet gross length	120 cm
Standard interfaces	USB 2.0	Pallet gross width	80 cm
<b>Power</b>		Pallet gross height	2.21 m
Power supply type *	DC	Products per pallet layer	9 pc(s)
Output voltage	24 V	Products per pallet layer (UK)	12 pc(s)
<b>Features</b>		Products per pallet (UK)	84 pc(s)
Country of origin	China	Pallet length (UK)	120 cm
<b>Packaging data</b>		Pallet width (UK)	100 cm
Quantity per pack	1 pc(s)	Pallet height (UK)	2.21 m
		Harmonized System (HS) code	84716070



8715946651262

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 12-OCT-2024. Prints or copies of Information are only valid on the printed Publication date