

NETGEAR GS108PP Unmanaged Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Black



Brand : NETGEAR

Product code: GS108PP-100EUS

Product name : GS108PP

NETGEAR GS108PP. Switch type: Unmanaged. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 8. Full duplex. MAC address table: 4000 entries, Switching capacity: 16 Gbit/s. Networking standards: IEEE 802.1p, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3x. DC input voltage: 54 V. Power over Ethernet (PoE). Wall mountable, Rack mounting

| Management features | | Performance | |
|---|--|--|-------------|
| Switch type * | Unmanaged | Mean time between failures (MTBF) | 2752476 h |
| Quality of Service (QoS) support | ✓ | Power | |
| Ports & interfaces | | Power source * | DC |
| Basic switching RJ-45 Ethernet ports quantity * | 8 | DC input voltage | 54 V |
| Basic switching RJ-45 Ethernet ports type * | Gigabit Ethernet (10/100/1000) | Output voltage | 2.4 V |
| Network | | Power consumption (typical) | 123 W |
| Networking standards * | IEEE 802.1p, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3x | Power over Ethernet (PoE) | |
| 10G support * | ✗ | Power over Ethernet (PoE) * | ✓ |
| Full duplex | ✓ | Power over Ethernet plus (PoE+) ports quantity | 8 |
| Data transmission | | Power over Ethernet (PoE) power per port | 30 W |
| Switching capacity * | 16 Gbit/s | Total Power over Ethernet (PoE) budget | 123 W |
| MAC address table * | 4000 entries | Operational conditions | |
| Jumbo frames support | ✓ | Operating temperature (T-T) | 0 - 40 °C |
| Jumbo frames | 9000 | Storage temperature (T-T) | -20 - 70 °C |
| Design | | Operating relative humidity (H-H) | 0 - 90% |
| Rack mounting * | ✓ | Storage relative humidity (H-H) | 0 - 95% |
| Product colour | Black | Operating altitude | 0 - 3000 m |
| LED indicators | ✓ | Weight & dimensions | |
| Wall mountable | ✓ | Width | 236 mm |
| Certification | CE, FCC, ICES-003, VCCI, RCM, BSMI, KC, CB, CE LVD, BSMI, EAC, RCM, KC, EN 60950-1 | Depth | 102 mm |
| | | Height | 27 mm |
| | | Weight | 600 g |
| Performance | | Logistics data | |
| Buffer size | 192 KB | Harmonized System (HS) code | 85176990 |
| Plug and Play | ✓ | | |



0606449130034



606449130034

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.