

## NETGEAR GS110MX Hallitsematon 10G Ethernet (100/1000/10000) musta

**Tuotemerkki :** NETGEAR

**Tuotekoodi:** GS110MX-100PES

**Tuotteen nimi :** GS110MX

NETGEAR GS110MX. Kytin tyyppi: Hallitsematon. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: 10G Ethernet (100/1000/10000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 10. MAC-osoitetaulukko: 16000 entries, Kytkentäkapasiteetti: 56 Gbit/s. Verkkostandardit: IEEE 802.1p, IEEE 802.3x. DC-syöttöjännite: 13.2 V. Virtaliitin: DC-tulo jakkiliitin. Telineasennus



Management features		Design	
Switch type *	Unmanaged	Product colour	Black
Quality of Service (QoS) support	✓	LED indicators	✓
MIB support	✓	Safety	UL 60950-1/CAN/CSA C22.2 No. 60960-1-07 EN 60950-1: 2006 + A11:2009 + A1:2010 + A12:2011 + A2:2013 IEC 60950-1:2005 (ed.2)+A1:2009+A2:2013 AS/NZS 60950.1:2015
Ports & interfaces		Power	
Basic switching RJ-45 Ethernet ports quantity *	10	Power source *	DC
Basic switching RJ-45 Ethernet ports type *	10G Ethernet (100/1000/10000)	DC input voltage	13.2 V
Gigabit Ethernet (copper) ports quantity	8	Power consumption (typical)	4.8 W
Power connector	DC-in jack	Power consumption (max)	6.6 W
Network		Power over Ethernet (PoE)	
Networking standards *	IEEE 802.1p, IEEE 802.3x	Power over Ethernet (PoE) *	✗
10G support *	✓	Operational conditions	
Flow control support	✓	Operating temperature (T-T)	0 - 40 °C
Link aggregation	✓	Storage temperature (T-T)	-20 - 70 °C
Broadcast storm control	✓	Operating relative humidity (H-H)	0 - 90%
Ethernet LAN data rates	10,100,1000 Mbit/s	Storage relative humidity (H-H)	0 - 95%
VLAN support	✓	Operating altitude	0 - 3000 m
Data transmission		Heat dissipation	45.14 BTU/h
Switching capacity *	56 Gbit/s	Weight & dimensions	
MAC address table *	16000 entries	Width	236 mm
Number of trunks	8	Depth	102 mm
Static route	✓	Height	27 mm
Jumbo frames support	✓	Weight	740 g
Jumbo frames	10240		
Security			
IGMP snooping	✓		
Multicast features			
Multicast support	✓		
Design			
Rack mounting *	✓		

**Certificates**

Certification	47 CFR FCC, ICES-003:2016, ANSI C63.4:2014, EN 55032:2012 +AC:2013, CISPR 32:2012, AS/NZS CISPR 32:2013, EN 55032:2015 +AC:2016, CISPR 32:2015 +COR1:2016, AS/NZS CISPR 32:2015, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010 +A1:2015, AS/NZS CISPR 32:2015, VCCI-CISPR 32:2016,
---------------	--

**Logistics data**

Harmonized System (HS) code	85176990
-----------------------------	----------



0606449128871



606449128871

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.