

NETGEAR GS108Tv3 Hallittu L2 Gigabit Ethernet (10/100/1000) Harmaa

Tuotemerkki : NETGEAR

Tuotekoodi: GS108T-300PES

Tuotteen nimi : GS108Tv3



NETGEAR GS108Tv3. Kytin tyyppi: Hallittu, Kytinkerros: L2. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 8. Täysin kaksipuolinen. MAC-osoitetaulukko: 8000 entries, Kytkentäkapasiteetti: 16 Gbit/s. Verkkostandardit: IEEE 802.3ad, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3x. DC-syöttöjännite: 54 V. Virtaliitin: DC-tulo jakkiliitin

Management features		Design	
Switch type *	Managed	LED indicators	Activity, LAN, Link, PoE, Power, Speed
Switch layer	L2	Performance	
Quality of Service (QoS) support	✓	Processor frequency	500 MHz
Ports & interfaces		Memory type	RAM
Basic switching RJ-45 Ethernet ports quantity *	8	Internal memory	128 MB
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Flash memory	32 MB
Power connector	DC-in jack	Firmware upgradeable	✓
Network		Mean time between failures (MTBF)	2388657 h
Networking standards *	IEEE 802.3ad, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3x	Power	
Copper ethernet cabling technology	10BASE-T, 100BASE-TX, 1000BASE-TX	Power supply included *	✓
Port mirroring	✓	AC input voltage	100 - 240 V
Full duplex	✓	AC input frequency	50 - 60 Hz
Flow control support	✓	DC input voltage	54 V
Link aggregation	✓	Input current	1.25 A
Broadcast storm control	✓	Power consumption (max)	5.5 W
Rate limiting	✓	Power over Ethernet (PoE)	
Spanning tree protocol	✓	Power over Ethernet (PoE) *	✗
MAC address auto-learning supported	✓	Operational conditions	
Number of VLANs	64	Operating temperature (T-T)	0 - 40 °C
Data transmission		Storage temperature (T-T)	-20 - 70 °C
Switching capacity *	16 Gbit/s	Operating relative humidity (H-H)	0 - 95%
MAC address table *	8000 entries	Storage relative humidity (H-H)	0 - 95%
Store-and-forward	✓	Operating altitude	0 - 3000 m
Jumbo frames support	✓	Non-operating altitude	0 - 3000 m
Packet buffer memory	0.5 MB	Heat dissipation	18.66 BTU/h
Security		Weight & dimensions	
DHCP features	DHCP client	Width	158 mm
Access Control List (ACL)	✓	Depth	101 mm
Packaging content		Height	27 mm
		Weight	430 g
		Packaging content	
		Manual	✓

Security		Packaging data	
Access Control List (ACL) IPv6 entries	100	Package type	Box
IGMP snooping	✓	Package width	226 mm
Security algorithms	802.1x RADIUS	Package depth	270 mm
MAC address filtering	✓	Package height	64 mm
		Package weight	780 g
Multicast features		Certificates	
Multicast support	✓	Certification	CE, FCC, VCCI Class B, C-Tick
IPv4 multicast entries	32		
Number of multicast groups filtered	256	Logistics data	
Protocols		Master (outer) case width	214 mm
Management protocols	SNMP	Master (outer) case length	474 mm
Switching protocols	SNMP	Master (outer) case height	312 mm
Data link protocols	Ethernet, Fast Ethernet, Gigabit Ethernet	Harmonized System (HS) code	85176990
Supported network protocols	HTTP, HTTPS	Master (outer) case gross weight	5.49 kg
Design		Products per master (outer) case	6 pc(s)
Stackable *	✗		
Product colour	Grey		



0606449138634



606449138634

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.