

## NETGEAR GS316EP-100PES verkkokytin Hallittu Gigabit Ethernet (10/100/1000) Power over Ethernet -tuki musta

**Tuotemerkki :** NETGEAR

**Tuotekoodi:** GS316EP-100PES

**Tuotteen nimi :** GS316EP-100PES



NETGEAR GS316EP-100PES. Kytin tyyppi: Hallittu. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 15. Täysin kaksipuolinen. MAC-osoitetaulukko: 4000 entries, Kytkentäkapasiteetti: 32 Gbit/s. Verkkostandardit: IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3u, IEEE 802.3x. Virtaliitin: DC-tulo jakkiliitin. Power over Ethernet -tuki



<b>Management features</b>		<b>Design</b>	
Switch type *	Managed	Stackable *	✗
Quality of Service (QoS) support	✓	Product colour	Black
Web-based management	✓	LED indicators	✓
<b>Ports &amp; interfaces</b>		<b>Power</b>	
Basic switching RJ-45 Ethernet ports quantity *	15	Power source *	DC
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Power supply included *	✓
Gigabit Ethernet (copper) ports quantity	15	<b>Power over Ethernet (PoE)</b>	
SFP module slots quantity	1	Power over Ethernet (PoE) *	✓
Power connector	DC-in jack	Power over Ethernet (PoE) ports quantity	15
<b>Network</b>		Total Power over Ethernet (PoE) budget	180 W
Networking standards *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3u, IEEE 802.3x	<b>Operational conditions</b>	
Full duplex	✓	Operating temperature (T-T)	0 - 40 °C
Flow control support	✓	Storage temperature (T-T)	-20 - 70 °C
Link aggregation	✓	Operating relative humidity (H-H)	0 - 90%
Broadcast storm control	✓	Storage relative humidity (H-H)	0 - 95%
VLAN support	✓	Operating altitude	0 - 3000 m
<b>Data transmission</b>		Non-operating altitude	0 - 3000 m
Switching capacity *	32 Gbit/s	<b>Weight &amp; dimensions</b>	
MAC address table *	4000 entries	Width	286 mm
Jumbo frames support	✓	Depth	102 mm
Jumbo frames	10000	Height	27 mm
<b>Security</b>		Weight	883 g
DHCP features	DHCP client	<b>Packaging content</b>	
Access Control List (ACL)	✓	Cables included	AC
		<b>Logistics data</b>	
		Harmonized System (HS) code	85176990

## Multicast features

Multicast support





0606449153651



606449153651

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.