NETGEAR XS724EM Hallittu L2 10G Ethernet (100/1000/10000) 1U Sininen, Harmaa

Tuotemerkki : NETGEAR Tuotekoodi: XS724EM-100EUS

Tuotteen nimi: XS724EM





Management features		Performance	
Switch type *	Managed	Mean time between failures (MTBF)	830493 h
Switch layer	L2	Power	
Quality of Service (QoS) support	✓	Power source *	AC
Ports & interfaces		AC input voltage	100 - 240 V
Basic switching RJ-45 Ethernet ports quantity *	24	AC input frequency Input current	50 - 60 Hz 2 A
Basic switching RJ-45 Ethernet ports type *	10G Ethernet (100/1000/10000)	Power over Ethernet (PoE)	
SFP+ module slots quantity	2	Power over Ethernet (PoE) *	×
Power connector	DC-in jack	Operational conditions	
Network Networking standards *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ae, IEEE 802.3an, IEEE 802.3az, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Heat dissipation	0 - 50 °C -20 - 70 °C 0 - 90% 0 - 95% 513.88 BTU/h
10G support *	✓	Weight & dimensions	
Broadcast storm control	✓	Width	440 mm
VLAN support	✓	Depth	204 mm
Virtual LAN features	Port-based VLAN	Height	43 mm
Data transmission		Weight	3.72 kg
Switching capacity *	480 Gbit/s	Sustainability	
MAC address table *	32000 entries	Sustainability certificates	ENERGY STAR
Store-and-forward	✓	Certificates	
Jumbo frames support Jumbo frames Packet buffer memory	9000 3 MB		47 CFR FCC, ICES-003:2016, ANSI C63.4:2014, EN55032:2012+AC:2013, EN 55024:2010, EN 61000-3-2:2014,
Security			EN 6100-3-3:2013, AS/NZS CISPR
DHCP features	DHCP client	Certification	32:2013, VCCI-CISPR32:2016, CNS 13438, IEC 60950-1:2005(ed.2) +
IGMP snooping	✓		A1:2009 + A2:2013, UL 60950-1, EN 60950-1: 2006 + A11:2009 +
MAC address filtering	✓		A1:2010 + A12:2011 + A2:2013,
Design			IEC 60950-1:2005 (ed.2)+A1:2009+A2:2013, AS/NZS
Rack mounting *	✓		60950.1:2015 CNS14336-1
Form factor	10		

Design		Logistics data		
Product colour	Blue, Grey	Harmonized System (HS) code	85176990	
LED indicators	√			
Number of fans	3 fan(s)			





606449129489

0606449129489

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.