

NETGEAR M4350-16V4C Hallittu L3 musta

Tuotemerkki : NETGEAR

Tuotekoodi: VSM4320C-100NES

Tuotteen nimi : M4350-16V4C



NETGEAR M4350-16V4C. Kytin tyyppi: Hallittu, Kytinkerros: L3. Täysin kaksipuolinen. MAC-osoitetaulukko: 16000 entries, Kytentäkapasiteetti: 1600 Gbit/s. Verkkostandardit: IEEE 802.1D, IEEE 802.1Q, IEEE 802.1Qav, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.3, IEEE.... Virtaliitin: AC-in-liitin. Telineasennus



Management features		Security	
Switch type *	Managed	Queue scheduling algorithms	Strict Priority Queue (SPQ), Weighted random early detection (WRED)
Switch layer	L3		
Quality of Service (QoS) support	✓		
Web-based management	✓		
ARP inspection	✓		
Ports & interfaces		Multicast features	
Basic switching RJ-45 Ethernet ports type *	✗	Multicast support	✓
QSFP28 ports quantity	4	Multicast Listener Discovery (MLD) snooping	✓
SFP28 ports quantity	16		
Power connector	AC-in jack	Protocols	
Network		Management protocols	SNMP V1, V2, V3
Networking standards *	IEEE 802.1D, IEEE 802.1Q, IEEE 802.1Qav, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3ak, IEEE 802.3bz, IEEE 802.3u	GARP VLAN Registration Protocol (GVRP)	✓
10G support *	✓	Routing protocols	OSPF, OSPFv2, OSPFv3, RIP, RIP-1, RIP-2
Full duplex	✓	Design	
Policy-based routing	✓	Rack mounting *	✓
Flow control support	✓	Stackable *	✓
Link aggregation	✓	Product colour	Black
Broadcast storm control	✓	LED indicators	✓
Rate limiting	✓	Airflow direction	Front-to-back airflow
Spanning tree protocol	✓	Performance	
6to4 tunnel	✓	Built-in processor	✓
IPv4 routes	512	Processor model	ARM Cortex-A57
IPv6 routes	256	Processor frequency	1800 MHz
VLAN support	✓	Memory type	DDR4-SDRAM
Virtual LAN features	MAC address-based VLAN, Private VLAN, Voice VLAN	Internal memory	4096 MB
Number of VLANs	4093	Flash memory	512 MB
		sFlow	✓
		Power	
		Power source *	AC
		Power supply included *	✓
		Power consumption (typical)	143.4 W

Data transmission		Power over Ethernet (PoE)	
Switching capacity *	1600 Gbit/s	Power over Ethernet (PoE) *	✗
Throughput	1190.4 Mpps	Other features	
MAC address table *	16000 entries	Power supply	420 W
Store-and-forward	✓	Operational conditions	
Latency (10 Gbps)	2.71 μs	Operating temperature (T-T)	0 - 50 °C
Jumbo frames support	✓	Storage temperature (T-T)	-20 - 70 °C
Jumbo frames	12000	Operating relative humidity (H-H)	0 - 90%
Packet buffer memory	256 MB	Storage relative humidity (H-H)	0 - 95%
Security		Operating altitude	0 - 3000 m
DHCP features	DHCP Option 150, DHCP Option 66, DHCP Option 67, DHCP relay, DHCP server, DHCP snooping		
Access Control List (ACL)	✓	Non-operating altitude	0 - 3000 m
Access Control List (ACL) egress	1023	Weight & dimensions	
Access Control List (ACL) ingress	511	Width	440 mm
IGMP snooping	✓	Depth	400 mm
IGMP proxy	✓	Height	43.2 mm
MAC address filtering	✓	Weight	7.15 kg
Static port security	✓	Packaging content	
Loop protection	✓	Cables included	AC, USB Type-C
BPDU filtering/protection	✓	Quick start guide	✓
Authentication	Guest VLAN, MAC-based authentication		
Root protection	✓	Rack mount kit	✓
Password protection	✓	Packaging data	
DoS attack prevention	✓	Included power plug types	EU, UK, NA
Authentication type	RADIUS, TACACS+		
Sustainability			
		Sustainability compliance	✓
Certificates			
		Compliance certificates	BSMI, CCC, CE, Federal Communications Commission (FCC), Low Voltage Directive (LVD)



0606449165074



606449165074

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-DEC-2024. Prints or copies of Information are only valid on the printed Publication date