ATEN

ATEN VE883ATK2-AT-G AV-signaalin jatkaja AV-lähetin musta

Tuotekoodi: VE883ATK2-AT-G

Tuotemerkki : ATEN

Tuotteen nimi : VE883ATK2-AT-G

ATEN VE883ATK2-AT-G. Malli: AV-lähetin, Enimmäiserottelutarkkuus: 4096 x 2160 pikseliä, Suurin siirtoetäisyys: 10000 m. Yhteysteknologia: Langallinen, Valokuituliitin: SFP, USB-liitin: USB B-tyyppi. Tehonkulutus (lähetin) (max): 7,01 W. Tuotteen leveys: 146,9 mm, Tuotteen syvyys: 169,4 mm, Tuotteen korkeus: 30 mm. Lukumäärä per pakkaus: 1 kpl, Pakkauksen leveys: 95 mm, Pakkauksen syvyys: 265 mm






Features		Ports & interfaces	
Туре *	AV transmitter	DC-in jack	1
Maximum resolution *4096 x 2160 pixelsMaximum transfer distance10000 mFiber optic wavelengths supported1310 nmFiber mode structureSingle-modeElectrostatic Discharge (ESD) protection✓Electrostatic Discharge (ESD) protection15 kVLED indicators✓Supported graphics resolutions3840 x 2160, 4096 x 2160Bandwidth10.2 Gbit/sBandwidth340 MHzHDCP✓MaterialMetal3D✓Firmware upgradeable✓Plug and Play✓Impedance100 ΩHDCP version2.2Product colourBlack	10000 m 1310 nm Single-mode • 15 kV	Power	
		Power consumption (transmitter) (max)	7.01 W
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Storage temperature (T-T) Operating relative humidity (H-H)	-20 - 60 °C 0 - 80%
		Weight & dimensions	
	10.2 Gbit/s 340 MHz ✔	Width Depth Height Weight	146.9 mm 169.4 mm 30 mm 670 g
	 . . . 100 Ω 2.2 	Packaging data	
		Quantity per pack	1 pc(s)
		Package width Package depth Package height Package weight	95 mm 265 mm 220 mm 1.68 kg
		Packaging content	
Ports & interfaces		AC adapter included	Image: A state of the state
Connectivity technology *	Wired	Manual	
RJ-45 output ports	1	IR blaster included	1
HDMI in	1	IR receiver included	 Image: A set of the set of the
USB ports quantity 1 USB version 2.0	SFP	Technical details	
		Country of origin	Taiwan
	USB Type-B	Logistics data	
		Harmonized System (HS) code Master (outer) case width Master (outer) case length Master (outer) case height	85176200 232 mm 500 mm 283 mm

Logistics data

Master (outer) case gross weight 8.99 kg



4710469348778

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.