ASUS VA27ACFSN tietokoneen litteä näyttö 68,6 cm (27") 2560 x 1440 pikseliä Wide Quad HD LCD musta

Tuotemerkki : ASUS Tuotekoodi: 90LM06GJ-B01170

Tuotteen nimi: VA27ACFSN

ASUS VA27ACFSN. Näytön halkaisija: 68,6 cm (27"), Näytön erottelutarkkuus: 2560 x 1440 pikseliä, HDtyyppi: Wide Quad HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 5 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta





Display		Network	
Display diagonal *	68.6 cm (27")	Ethernet LAN	✓
Display resolution * HD type *	2560 x 1440 pixels Wide Quad HD	Ergonomics	
Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen * Display brightness (typical) Response time * Anti-glare screen Screen shape * Contrast ratio (typical) * Maximum refresh rate *	16:9 LCD IPS LED 350 cd/m² 5 ms	VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment * Height adjustment Pivot Pivot angle Swivelling Swivel angle range Tilt adjustment	100 x 100 mm Kensington 15 cm -90 - 90° -180 - 180°
Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Viewable size, horizontal Viewable size, vertical Digital horizontal frequency Digital vertical frequency	178° 178° 16.7 million colours 0.233 x 0.233 mm 60.9 cm 35.5 cm 30 - 84 kHz 48 - 100 Hz	Tilt angle range Power Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 100 hours * Power consumption (typical) * Power consumption (off)	-5 - 35° F Not available 0 26 kWh 19 W 0.3 W
sRGB coverage (typical) Performance	99%	Power consumption (PowerSave) AC input voltage	0.5 W 100 - 240 V
NVIDIA G-SYNC * AMD FreeSync * Flicker-free technology Low Blue Light technology	× × •	AC input frequency Energy efficiency scale European Product Registry for Energy Labelling (EPREL) code	50/60 Hz A to G 1609207

Multimedia Weight & dimensions Number of speakers 2 Width (with stand) 614 mm MS rated power 4 W Depth (with stand) 226.3 mm Built-in speaker(s)* ✓ Height (with stand) 517.8 mm Built-in camera* X Weight (with stand) 618 kg Design Home Height (without stand) 48 mm Market positioning* Home Height (without stand) 365.9 mm Product colour* Black Weight (without stand) 365.9 mm Product colour* Black Weight (without stand) 4.75 kg Detachable stand * Package wight (without stand) 4.75 kg Detachable stand * Package weight 687 mm Weight (without stand) 4.75 kg 9.71 mm USB Type A tomstream ports quantity * Package weight 516 mm USB Type-C downstream ports quantity * Package beight 516 mm USB Type-C DisplayPort Alternate Mode * Cables included * USB Power Delivery (USB				
RMS rated power 4 W Depth (with stand) 226.3 mm Built-in speaker(s)* ✓ Height (with stand) 517.8 mm Built-in camera * X Weight (with stand) 6.8 kg Design Width (without stand) 614 mm Market positioning * Home Height (without stand) 365.9 mm Product colour * Black Weight (without stand) 4.75 kg Detachable stand ✓ Packaging data Ports & interfaces Packaging data 8 Built-in USB hub * ✓ Package depth 171 mm USB Type-A downstream ports quantity 3.2 Gen 1 (3.1 Gen 1) Package depth 171 mm USB Type-C downstream ports quantity 3 Package depth 9.8 kg USB Type-C DisplayPort Alternate Mode ✓ Packaging content USB Type-C DisplayPort Alternate Mode ✓ Packaging content USB Power Delivery (USB PD) ✓ Quick start guide ✓ USB Power Delivery (USB PD) ✓ Quick start guide ✓ USB Power Delivery (USB PD)	Multimedia		Weight & dimensions	
Built-in speaker(s)* ✓ Height (with stand) 517.8 mm Built-in camera* X Weight (with stand) 6.8 kg Design Width (without stand) 6.4 mm Market positioning* Home Height (without stand) 48 mm Product colour* Black Weight (without stand) 365.9 mm Portak interfaces Packaging data Formal Ports & interfaces Package width 687 mm Built-in USB hub* ✓ Package depth 171 mm USB Tybe-A downstream ports quantity 3.2 Gen 1 (3.1 Gen 1) Package weight 9.8 kg USB Tybe-C downstream ports quantity Package weight 9.8 kg 9.8 kg USB Tybe-C downstream ports quantity Sation included ✓ USB Pybe-C DisplayPort Alternate Mode Sation included ✓ USB Pybe-C DisplayPort Alternate Mode Sation included ✓ USB Pybe-C DisplayPort Alternate Mode Sationability ✓ HDMI yersion Y Sustainability ✓ HDMI yersion 2.0 Sustainability complia	Number of speakers	2	Width (with stand)	614 mm
Built-in camera* X Weight (with stand) 6.8 kg Posign Vidth (without stand) 614 mm Depth (without stand) 365.9 mm Product colour* Black Weight (without stand) 4.75 kg Potas interfaces Package width 687 mm Built-in USB hub* / Package depth 171 mm USB Type-A downstream ports quantity 1 USB Type-C downstream ports quantity 1 USB Type-C DisplayPort Alternate Wode Node Node Node Node Node Node Node N	RMS rated power	4 W	Depth (with stand)	226.3 mm
Design Design Design Design Design Depth (without stand) Depth (wi	Built-in speaker(s) *	✓	Height (with stand)	517.8 mm
Deepth (without stand) 48 mm Market positioning * Home Height (without stand) 365.9 mm Product colour * Black Weight (without stand) 4.75 kg Detachable stand ✓ Packaging data Ports & interfaces Package width 687 mm Built-in USB hub * ✓ Package depth 171 mm USB Type-A downstream ports quantity 3.2 Gen 1 (3.1 Gen 1) Package height 516 mm USB Type-A downstream ports quantity 1 Package type 80x USB Type-C DisplayPort Alternate quantity Yeakaging content Yeakaging content USB Type-C DisplayPort Alternate Mode Yeakaging content Yeakaging content USB Power Delivery (USB PD) Yeakaging content Yeakaging content USB Power Delivery (USB PD) Yeakaging content Yeakaging content USB Power Delivery (USB PD) Yeakaging content Yeakaging content USB Power Delivery (USB PD) Yeakaging content Yeakaging content USB Power Delivery (USB PD) Yeakaging content Yeakaging content USB Type-C DisplayPort Alternate Mode Yeakaging content Yeakaging content USB Type-C DisplayPort Alternate Mode Yeakaging content Yeakaging content USB Type-C DisplayPort Alternate	Built-in camera *	×	•	•
Market positioning * Home Height (without stand) 365.9 mm Product colour * Black Weight (without stand) 4.75 kg Detachable stand * Packaging data Ports & interfaces Package width 687 mm Built-in USB hub * * Package depth 171 mm USB Type-A downstream ports Quantity 3.2 Gen 1 (3.1 Gen 1) Package weight 516 mm USB Type-A downstream ports Quantity 1 Package weight 9.8 kg USB Type-C downstream ports Quantity 1 Packaging content * USB Type-C DisplayPort Alternate Mode * Cables included AC, DisplayPort, HDMI, USB Type-C USB Power Delivery (USB PD) * Quick start guide * USB Power Delivery up to 90 W Sustainability * HDMI yersion 1 Sustainability compliance * HDMI yersion 2.0 Sustainability certificates ENERGY STAR, EPEAT Silver DisplayPort version 1.2 Sustainability certificates ENERGY STAR, EPEAT Silver TCO DisplayPort ver	Design		, ,	
Product colour* Black Weight (without stand) 4.75 kg Detachable stand Ports & interfaces Built-in USB hub*	Market positioning *	Home	• •	
Detachable stand Packaging data Ports & interfaces Package width 687 mm Built-in USB hub * ✓ Package depth 171 mm USB Hybe-A downstream ports quantity 3.2 Gen 1 (3.1 Gen 1) Package height 516 mm USB Type-A downstream ports quantity Package weight 9.8 kg USB Type-C downstream ports quantity Packaging content USB Type-C DisplayPort Alternate work Stand included ✓ Cables included AC, DisplayPort, HDMI, USB Type-C USB Power Delivery (USB PD) ✓ Quick start guide ✓ USB Power Delivery up to 90 W Sustainability ✓ HDMI ports quantity 1 Sustainability compliance ✓ HDMI version 2.0 Sustainability certificates ENERGY STAR, EPEAT Silver DisplayPorts quantity 1 Stand specific technologies Eye Care+ Headphone out * ✓ RIPA Sports quantity 1 HDCP version 2.2 Certification Certification Certificati'ÜK-liricker-free TüV Low		Black	-	
Ports & interfaces Package width 687 mm Built-in USB hub * ✓ Package depth 171 mm USB Type-A downstream ports quantity 3.2 Gen 1 (3.1 Gen 1) Package weight 9.8 kg USB Type-C downstream ports quantity 1 Packaging content USB Type-C DisplayPort Alternate Mode ✓ Stand included ✓ USB Power Delivery (USB PD) ✓ Cables included AC, DisplayPort, HDMI, USB Type-C USB Power Delivery up to 90 W Sustainability ✓ HDMI * ✓ Sustainability compliance ✓ HDMI version 2.0 Sustainability certificates ENERGY STAR, EPEAT Silver DisplayPort version 1.2 Brand specific technologies Eye Care+ Headphone out * ✓ RJ-45 ports quantity 1 HDCP ✓ Certification Energy Star EPEAT Silver TCO Certified TÜV Flicker-free TÜV Low Blue Light FSC Mixed	Detachable stand	✓	,	4.73 kg
Built-in USB hub *	Danta C intenfaces			
USB hub version 3.2 Gen 1 (3.1 Gen 1) Package height 516 mm USB Type-A downstream ports quantity 3 Package weight Package type 9.8 kg USB Type-C downstream ports quantity 1 Packaging content USB Type-C DisplayPort Alternate Mode Stand included ✓ USB Power Delivery (USB PD) ✓ Quick start guide ✓ USB Power Delivery up to 90 W Sustainability HDMI ports quantity 1 Sustainability compliance ✓ HDMI version 2.0 Sustainability certificates ENERGY STAR, EPEAT Silver DisplayPort version 1.2 Brand specific technologies Eye Care+ Headphone out * ✓ RJ-45 ports quantity 1 HDCP ✓ RJ-45 ports quantity 1 HDCP version 2.2 Certification Energy Star EPEAT Silver TCO Certified TÜV Flicker-free TÜV Low Blue Light FSC Mixed				
USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity 1 Sustainability DisplayPort quantity 1 Other features DisplayPort version HDCP HDCP version Package weight Package type Box 9.8 kg Box Sustainability Stand included Cables included AC, DisplayPort, HDMI, USB Type-C Quick start guide V Sustainability Sustainability Sustainability compliance V Cher features ENERGY STAR, EPEAT Silver Energy Star EPEAT Silver TCO Certification Energy Star EPEAT Silver TCO Certification Energy Star EPEAT Silver TCO Certification	Built-in USB hub *	✓	•	
quantityPackage typeBoxUSB Type-C downstream ports quantity1Packaging contentUSB Type-C DisplayPort Alternate ModeStand included✓USB Power Delivery (USB PD)✓Quick start guide✓USB Power Delivery up to90 WSustainabilityHDMI *✓Sustainability compliance✓HDMI ports quantity1Sustainability certificatesENERGY STAR, EPEAT SilverDisplayPorts quantity1Other featuresDisplayPort version1.2Brand specific technologiesEye Care +Headphone out *✓RJ-45 ports quantity1HDCP✓CertificationEnergy Star EPEAT Silver TCO Certified TÜV Flicker-free TÜV Low Blue Light FSC Mixed	USB hub version	3.2 Gen 1 (3.1 Gen 1)	Package height	516 mm
USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPorts quantity DisplayPort a quantity Headphone out * Headphone out * HDCP version 1 AC A C DisplayPort, HDMI, USB Type-C Quick start guide Cables included AC, DisplayPort, HDMI, USB Type-C Quick start guide Cables included AC, DisplayPort, HDMI, USB Type-C Quick start guide Cables included AC, DisplayPort, HDMI, USB Type-C Quick start guide Cables included AC, DisplayPort, HDMI, USB Type-C Quick start guide Cables included AC, DisplayPort, HDMI, USB Type-C Quick start guide Cables included AC, DisplayPort, HDMI, USB Type-C Quick start guide Cables included AC, DisplayPort, HDMI, USB Type-C Quick start guide Cables included AC, DisplayPort, HDMI, USB Type-C Quick start guide Cables included AC, DisplayPort, HDMI, USB Type-C Quick start guide Cables included AC, DisplayPort, HDMI, USB Type-C Quick start guide Cables included AC, DisplayPort, HDMI, USB Type-C Quick start guide Cables included AC, DisplayPort, HDMI, USB Type-C Quick start guide Cables included AC, DisplayPort, HDMI, USB Type-C Quick start guide Cables included AC, DisplayPort, HDMI, USB Type-C Quick start guide Cables included AC, DisplayPort, HDMI, USB Type-C Quick start guide Cables included AC, DisplayPort, HDMI, USB Type-C Cables included AC,		3	5 5	•
quantityPackaging contentUSB Type-C DisplayPort Alternate ModeStand included✓USB Power Delivery (USB PD)✓Quick start guide✓USB Power Delivery up to HDMI *90 WSustainabilityHDMI ports quantity1Sustainability compliance✓HDMI version2.0Sustainability certificatesENERGY STAR, EPEAT SilverDisplayPorts quantity1Other featuresDisplayPort version1.2Brand specific technologiesEye Care+Headphone out *✓RJ-45 ports quantity1HDCP✓Energy Star EPEAT Silver TCO Certified TÜV Flicker-free TÜV Low Blue Light FSC Mixed	' '		Package type	Box
Mode USB Power Delivery (USB PD) V Quick start guide USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity 1 Other features DisplayPort version Headphone out * HDCP version Cables included AC, DisplayPort, HDMI, USB Type-C Quick start guide V Sustainability Sustainability compliance V Sustainability certificates ENERGY STAR, EPEAT Silver Other features Eye Care+ Headphone out * HDCP HDCP version 2.2 Certification Certification Cables included AC, DisplayPort, HDMI, USB Type-C Quick start guide V Energy STAR, EPEAT Silver Certification Certification Blue Light FSC Mixed	71	1	Packaging content	
USB Power Delivery (USB PD) V Quick start guide V Sustainability Sustainability HDMI ports quantity HDMI version DisplayPorts quantity 1 Cother features DisplayPort version Headphone out * HDCP HDCP HDCP HDCP HDCP HDCP LOG POW Quick start guide V Sustainability Sustainability compliance Sustainability certificates ENERGY STAR, EPEAT Silver Other features Eye Care+ Energy Star EPEAT Silver TCO Certified TÜV Flicker-free TÜV Low Blue Light FSC Mixed		1	Stand included	✓
USB Power Delivery up to HDMI* *** HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version *** *** Headphone out * ** ** ** ** ** ** ** ** **			Cables included	AC, DisplayPort, HDMI, USB Type-C
HDMI * HDMI ports quantity HDMI ports quantity HDMI version 2.0 Sustainability compliance ENERGY STAR, EPEAT Silver Sustainability certificates ENERGY STAR, EPEAT Silver Other features DisplayPort version 1.2 Brand specific technologies Headphone out * HDCP HDCP version 2.2 Energy Star EPEAT Silver Certification Certification Certification Certified TÜV Flicker-free TÜV Low Blue Light FSC Mixed	• • • • • •	•	Quick start guide	✓
HDMI ports quantity HDMI ports quantity HDMI version 2.0 Sustainability compliance FINERGY STAR, EPEAT Silver Other features DisplayPorts quantity DisplayPort version 1.2 Brand specific technologies Headphone out * HDCP HDCP version 2.2 Energy Star EPEAT Silver TCO Certification Certification Certification Certified TÜV Flicker-free TÜV Low Blue Light FSC Mixed	• •		Sustainability	
HDMI version 2.0 Sustainability certificates ENERGY STAR, EPEAT Silver DisplayPorts quantity 1 DisplayPort version 1.2 Brand specific technologies Eye Care+ Headphone out *		•	•	
DisplayPorts quantity DisplayPort version 1.2 Brand specific technologies Eye Care+ Headphone out * HDCP HDCP version 2.2 Other features Production Other features Eye Care+ Energy Star EPEAT Silver TCO Certified TÜV Flicker-free TÜV Low Blue Light FSC Mixed		-	, ,	-
DisplayPort version 1.2 Brand specific technologies Eye Care+ Headphone out * HDCP HDCP version 1.2 Brand specific technologies RJ-45 ports quantity Energy Star EPEAT Silver TCO Certified TÜV Flicker-free TÜV Low Blue Light FSC Mixed		2.0	Sustainability certificates	ENERGY STAR, EPEAT Silver
Headphone out *	DisplayPorts quantity	1	Other features	
HDCP version 2.2 HDCP version Certification HDCP version Energy Star EPEAT Silver TCO Certified TÜV Flicker-free TÜV Low Blue Light FSC Mixed	• •	1.2	Brand specific technologies	Eye Care+
HDCP version 2.2 Certification Certified TÜV Flicker-free TÜV Low Blue Light FSC Mixed	Headphone out *	✓	RJ-45 ports quantity	1
Blue Light FSC Mixed	HDCP	✓		
AC (nower) in	HDCP version	2.2	Certification	
, to (poster) in	AC (power) in	✓		Bide Light 1 Se Mixed



4711387163061

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.