ASUS ROG Rapture GT-BE98 langaton reititin 10 Gigabit Ethernet Quad-band (2.4 GHz / 5 GHz-1 / 5 GHz-2 / 6 GHz) musta

Tuotemerkki: ASUS Tuotekoodi: 90IG08F0-M09A0V

Tuotteen nimi: ROG Rapture GT-BE98

ASUS ROG Rapture GT-BE98. Wi-Fi-taajuus: Quad-band (2.4 GHz / 5 GHz-1 / 5 GHz-2 / 6 GHz), Wi-Fi-standardi: Wi-Fi 7 (802.11be), WLAN-tiedonsiirtonopeus (maks.): 11529 Mbit/s. Ethernet LAN - käyttöliittymän tyyppi: 10 Gigabit Ethernet, Ethernet LAN -datanopeudet: 10,100,1000,2500,10000 Mbit/s, VPN-tuki: VPN Client L2TP VPN Client Open VPN VPN Client PPTP VPN Client WireGuard VPN Server IPSec VPN.... Tietoturva-algoritmit: SSH, WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA3-PSK, WPA3-Enterprise, WPA3-PSK, WPA3-Enterprise, WPA3-PSK, WPA3-Enterprise, WPA3-PSK, WPA3-Enterprise, WPA3-PSK, WPS. Tuotetyyppi: Pöytäreititin, Tuotteen väri: musta, LED-merkkivalot: LAN, Teho, WAN. Sisältää johdot: LAN (RJ-45)





Wireless LAN features Security algorithms WPA2-Enterprise, WPA3-PSK, Enterprise, WPA3-PSK, WPS Wi-Fi band* Quad-band (2.4 GHz / 5 GHz-1 / 5 GHz-1 / 5 GHz-1 / 5 GHz-1 / 5 GHz-2 / 6 GHz) Firewall ✓ Top Wi-Fi standard* Wi-Fi 7 (802.11be) MAC address filtering ✓ WLAN data transfer rate (max)* 11529 Mbit/s MAC address filtering ✓ WLAN data transfer rate (first band) 1376 Mbit/s Protocols WLAN data transfer rate (second band) 5764 Mbit/s DHCP server ✓ WLAN data transfer rate (third band) 5764 Mbit/s Design Black WLAN data transfer rate (fourth band) 11529 Mbit/s LED indicators LAN, Power, WAN Modulation 4096-QAM On/off switch ✓ Network Packaging content Ethernet LAN* Y Cables included LAN (RJ-45) Ethernet LAN data rates 10,100,1000,2500,10000 Mbit/s AC adapter included Y Sumber of guest networks (2.4 GHz) 5 Antenna Y Number of guest networks (5 GHz) 5 Antenna External Support Samba (storage) Y An				
SIM card slot * X Security 3G/4G USB modem compatibility * V Security algorithms SSH, WPA-Enterprise, WPA-PWR2-Enterprise, WPA-PSK Enterprise, WP	WAN connection		Management features	
3G/4G USB modem compatibility * Security Wireless LAN features Wi-Fi band * Quad-band (2.4 GHz / 5 GHz-1 / 5 GHz-1 / 5 GHz-2 / 6 GHz) Wi-Fi band * Wi-Fi 7 (802.11be) WLAN data transfer rate (max) * 11529 Mbit/s WLAN data transfer rate (first band) WLAN data transfer rate (third band) Product colour Product colour Black WLAN data transfer rate (fourth band) Modulation WLAN data transfer rate (fourth band) Modulation WLAN data transfer rate (fourth band) Modulation WEWORK Ethernet LAN * Ethernet LAN * Ethernet LAN * Ethernet LAN ata rates 10 100,1000,2500,10000 Mbit/s AC adapter included Warranty card Varranty card	Ethernet WAN *	✓	MU-MIMO technology	✓
Wireless LAN features Security algorithms WPA2-Enterprise, WPA2-PSK, Enterprise, WPA2-PSK, WPS Wi-Fi band * Quad-band (2.4 GHz / 5 GHz-1 / 5 GHz-1 / 5 GHz-2 / 6 GHz) Firewall ✓ Top Wi-Fi standard * Wi-Fi 7 (802.11be) Parental control ✓ WLAN data transfer rate (max) * 11529 Mbit/s MAC address filtering ✓ Wi-Fi standards 802.11a, 802.11b, 802.11g, Wi-Fi 6 (802.11ac), Wi-Fi 6 (802.11ac), Wi-Fi 6 (802.11ac), Wi-Fi 7 (802.11ac) DMZ support ✓ WLAN data transfer rate (first band) 1376 Mbit/s Protocols WLAN data transfer rate (second band) 5764 Mbit/s DHCP server ✓ WLAN data transfer rate (third band) 5764 Mbit/s Design Black WLAN data transfer rate (fourth band) 11529 Mbit/s LED indicators LAN, Power, WAN WLAN data transfer rate (fourth band) 11529 Mbit/s LED indicators LAN, Power, WAN Modulation 4096-QAM On/off switch ✓ Network Product type * Tabletop router Ethernet LAN * ✓ Cables included LAN (R)-45) Ethernet LAN data rates 10,100,1000,2500,10000 Mbit/s AC adapter included <td>SIM card slot *</td> <td>X</td> <td>Security</td> <td></td>	SIM card slot *	X	Security	
Wi-Fi band * Quad-band (2.4 GHz / 5 GHz - 1 / 5 GHz - 1 / 5 GHz - 2 / 6 GHz / 6 / 6 GH	3G/4G USB modem compatibility *	✓		SSH, WPA-Enterprise, WPA-PSK,
Top Wi-Fi band** Wi-Fi 7 (802.11be) WLAN data transfer rate (max)* Wi-Fi 8 (802.11b, 802.11b, 802.11b, 802.11b) Wi-Fi standards Wi-Fi 8 (802.11a, 002.11b, 802.11b) Wi-Fi standards Wi-Fi standards Wi-Fi 8 (802.11a, 002.11b) Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.1	Wireless LAN features		Security algorithms	WPA2-Enterprise, WPA2-PSK, WPA3- Enterprise, WPA3-PSK, WPS
No wirl standard Wirl (802.11be) WLAN data transfer rate (max) 11529 Mbit/s 802.11a, 802.11b, 802.11b, 802.11b, 802.11b) Wirl (802.11a), Wirl (802.11a), Wirl (802.11a), Wirl (802.11a), Wirl (802.11b) DMZ support ✓	Wi-Fi band *	•	Firewall	✓
Wi-Fi standards 802.11a, 802.11b, 802.11b, Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ac), Wi-Fi 6 (802.11ac), Wi-Fi 7 (802.11ac) WLAN data transfer rate (first band) 1376 Mbit/s WLAN data transfer rate (second band) WLAN data transfer rate (third band) 5764 Mbit/s WLAN data transfer rate (third band) 5764 Mbit/s WLAN data transfer rate (fourth band) 11529 Mbit/s WLAN data transfer rate (fourth band) 4096-QAM Modulation 4096-QAM Network Ethernet LAN* Ethernet LAN interface type * 10 Gigabit Ethernet Ethernet LAN data rates 10,100,1000,2500,10000 Mbit/s Dynamic DNS (DDNS)	Top Wi-Fi standard *	Wi-Fi 7 (802.11be)	Parental control	✓
Wi-Fi standards (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ac), Wi-Fi 6 (802.11ac), Wi-Fi 7 (802.11be) DMZ support Image: Content of the content of guest networks (5 GHz) (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ac), Wi-Fi 6 (802.11ac), Wi-Fi 6 (802.11ac), Wi-Fi 7 (802.11be) DMZ support Image: Content of the content of (802.11ac), Wi-Fi 7 (802.11be) DMZ support Image: Content of Cont	WLAN data transfer rate (max) *	11529 Mbit/s	MAC address filtering	✓
WLAN data transfer rate (first band) 1376 Mbit/s WLAN data transfer rate (second band) WLAN data transfer rate (third band) WLAN data transfer rate (third band) WLAN data transfer rate (fourth band) WLAN data transfer rate (fourth band) MODESIGN Product colour Product colour Black LAN, Power, WAN Modulation MODESIGN Product colour Black LAN, Power, WAN MODESIGN MODESIGN Product transfer rate (fourth band) MODESIGN Product colour Black LAN, Power, WAN MODESIGN MODESIGN Black LAN, Power, WAN MODESIGN MODESIGN CAN, Power, WAN MODESIGN MODESIGN Black LAN, Power, WAN MODESIGN CASSING Switch MODESIGN Product type * Tabletop router Packaging content Cables included LAN (RJ-45) AC adapter included MODESIGN MODESIGN MODESIGN MODESIGN MODESIGN MODESIGN MODESIGN AC adapter included MODESIGN MODESIGN MODESIGN MODESIGN MODESIGN AC adapter included MODESIGN MODESIGN MODESIGN MODESIGN AC adapter included MODESIGN MODESIGN MODESIGN MODESIGN MODESIGN AC adapter included MODESIGN MODESIGN MODESIGN AC adapter included MODESIGN MODE	Wi-Fi standards	(802.11n), Wi-Fi 5 (802.11ac), Wi-Fi	System event log	✓
WLAN data transfer rate (second band) WLAN data transfer rate (third band) WLAN data transfer rate (third band) WLAN data transfer rate (fourth band) Modulation Network Ethernet LAN * Ethernet LAN interface type * Design Product colour Product colour Black LED indicators LAN, Power, WAN On/off switch Product type * Tabletop router Packaging content Cables included AC adapter included AC adapter included Varranty card Warranty card Varranty card			DMZ support	✓
band) WLAN data transfer rate (third band) WLAN data transfer rate (fourth band) WLAN data transfer rate (fourth band) Modulation Network Ethernet LAN* Ethernet LAN interface type * 10,100,1000,2500,10000 Mbit/s Dynamic DNS (DDNS) Number of guest networks (2.4 GHz) Number of guest networks (5 GHz) Support Samba (storage) **Total Mbit/s **Total Cables included started included started starte	WLAN data transfer rate (first band)	1376 Mbit/s	Protocols	
band) WLAN data transfer rate (fourth band) Modulation Network Ethernet LAN * Ethernet LAN interface type * Interpret LAN data rates Dynamic DNS (DDNS) Number of guest networks (2.4 GHz) Number of guest networks (5 GHz) Support Samba (storage) 5764 Mbit/s Product colour LED indicators LAN, Power, WAN Product type * Product type * Packaging content Cables included AC adapter included Antenna Antenna Antenna Antenna Antenna design * Antenna guantity 8	•	5764 Mbit/s	DHCP server	✓
WLAN data transfer rate (fourth band) Modulation Modulation Metwork Ethernet LAN * Ethernet LAN interface type * In Gigabit Ethernet Ethernet LAN data rates Dynamic DNS (DDNS) Number of guest networks (2.4 GHz) Number of guest networks (5 GHz) Support Samba (storage) Product colour Black LAN, Power, WAN On/off switch Product type * Packaging content Cables included AC adapter included Warranty card Quick start guide Antenna Antenna design * Antenna guantity 8	,	5764 Mbit/s	_	
band) Modulation A096-QAM On/off switch Product type * Tabletop router Packaging content Ethernet LAN * Ethernet LAN interface type * Ethernet LAN data rates 10,100,1000,2500,10000 Mbit/s Dynamic DNS (DDNS) Number of guest networks (2.4 GHz) Number of guest networks (5 GHz) Support Samba (storage) A096-QAM On/off switch Product type * Packaging content Cables included AC adapter included AC adapter included ✓ Warranty card Quick start guide Antenna Antenna Antenna design * Antenna guantity 8	,			
Network Ethernet LAN * Ethernet LAN interface type * Dynamic DNS (DDNS) Number of guest networks (2.4 GHz) Number of guest networks (5 GHz) Support Samba (storage) At 4096-QAM Product type * Product type * Packaging content Cables included AC adapter included Warranty card Quick start guide Antenna Antenna design * Antenna guantity Antennas guantity Antennas guantity Antennas guantity Antennas guantity Antennas guantity Tabletop router Antenna Antenna Guantity Tabletop router Tabletop router Antenna Guantity	•	11529 Mbit/s		, ,
Retwork Ethernet LAN * Ethernet LAN interface type * 10 Gigabit Ethernet Ethernet LAN data rates 10,100,1000,2500,10000 Mbit/s Dynamic DNS (DDNS) Number of guest networks (2.4 GHz) Number of guest networks (5 GHz) Support Samba (storage) * Packaging content Cables included AC adapter included Warranty card Quick start guide * Antenna Antenna design * Antenna guantity 8	Modulation	4096-QAM		
Ethernet LAN * Ethernet LAN interface type * 10 Gigabit Ethernet Ethernet LAN data rates 10,100,1000,2500,10000 Mbit/s Dynamic DNS (DDNS) Number of guest networks (2.4 GHz) Number of guest networks (5 GHz) Support Samba (storage) * Cables included AC adapter included Warranty card Quick start guide * Antenna Antenna Antenna design * Antenna guantity 8	Network		Product type *	Tabletop router
Ethernet LAN interface type * 10 Gigabit Ethernet Ethernet LAN data rates 10,100,1000,2500,10000 Mbit/s Dynamic DNS (DDNS)	Ethernet LAN *	1	Packaging content	
Dynamic DNS (DDNS) Number of guest networks (2.4 GHz) Number of guest networks (5 GHz) Support Samba (storage) Varianty card Quick start guide Antenna Antenna Antenna design * Antennas quantity 8	Ethernet LAN interface type *	10 Gigabit Ethernet	Cables included	LAN (RJ-45)
Number of guest networks (2.4 GHz) Number of guest networks (5 GHz) Support Samba (storage) V Quick start guide Antenna Antenna External Antennas quantity 8	Ethernet LAN data rates	10,100,1000,2500,10000 Mbit/s	AC adapter included	✓
GHz) Number of guest networks (5 GHz) 5 Support Samba (storage) Antenna design * External Antennas quantity 8	Dynamic DNS (DDNS)	✓	Warranty card	✓
Number of guest networks (5 GHz) 5 Support Samba (storage) Antenna design * External Antennas quantity 8	•	5		✓
Support Samba (storage) Antennas quantity 8	Number of guest networks (5 GHz)	5		
	Support Samba (storage)	✓	3	
Treate server	Media server	✓		δ

Network		Features	
VPN support	VPN Client L2TP VPN Client Open VPN VPN Client PPTP VPN Client WireGuard VPN Server IPSec VPN Server Open VPN VPN Server PPTP VPN Server WireGuard VPN Fusion	Built-in processor Processor frequency Processor cores Internal memory	✓ 2600 MHz 4 2000 MB
Ports & interfaces		Flash memory	256 MB
Ethernet LAN (RJ-45) ports * USB port * USB 2.0 ports quantity USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	6 ✓ 1 1	Power Power source type * AC input voltage AC input frequency Output voltage	AC 110 - 240 V 50/60 Hz 19.5 V
Management features		Output current	3.33 A
Quality of Service (QoS) support Wake-on-LAN ready Reset button WPS push button	* * * *	Weight & dimensions Width Depth Height Weight	350.4 mm 350.4 mm 220.6 mm 1.97 kg
		Packaging data	
		Package width Package depth Package height Package weight Package type	384 mm 383 mm 254 mm 4.85 kg Box



4711387079461

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.