KYOCERA ECOSYS PA4500cx Printer A4 Färg 45ppm Väri 1200 x 1200 DPI

Tuotemerkki : KYOCERA

Tuotekoodi: 1102Z13NL0

Tuotteen nimi : ECOSYS PA4500cx Printer A4 Färg 45ppm


KYOCERA ECOSYS PA4500cx Printer A4 Färg 45ppm. Tulostustekniikka: Laser, Väri. Värikasettien määrä: 4, Suurin toimintajakso: 100000 sivua kuukaudessa. Suurin resoluutio: 1200 x 1200 DPI. Suurin ISO Aluokan paperikoko: A4. Tulostusnopeus (musta, normaalilaatu, A4/US Letter): 45 ppm, Kaksipuolinen tulostus. Näyttö: LCD, Tuotteen väri: musta, Valkoinen





| Printing | | Performance | |
|---|---|---|--|
| Duplex printing mode Print speed (colour, normal quality, A4/US Letter) Colour * | Auto 45 ppm | Sound pressure level (printing) Sound pressure level (duplex printing) Sound pressure level (quiet mode) | 54 dB 54 dB 50 dB |
| Print technology * | Laser | Sound power level (standby) | 30 dB |
| Duplex printing * | 1 | Design | |
| Maximum resolution * Print speed (black, normal quality, A4/US Letter) * Duplex print speed (black, normal quality, A4/US Letter) Duplex print speed (colour, normal quality, A4/US Letter) Warm-up time | 1200 x 1200 DPI 45 ppm 37 ppm 37 ppm 20 s | Market positioning * Product colour * Built-in display * Display Colour display Touchscreen | Business Black, White ✓ LCD ★ ★ |
| Time to first page (black, normal) Time to first page (colour, normal) Economical printing | 5.1 s 6.2 s | Display number of lines Control type Certificates | 5 lines Buttons |
| Features | | Waste Electrical and Electronic Equipment (WEEE) compliance | ✓ |
| Maximum duty cycle * Recommended duty cycle Printing colours * Number of print cartridges * Page description languages * | 100000 pages per month 1500 - 5000 pages per month Black, Cyan, Magenta, Yellow 4 JPEG, OpenXPS, PCL 5c, PCL 6, PCL | Supplier features Product or Article Information Sheet available? Power | • |
| raye description languages * | XL, PCLm, PDF, PWG, TIFF, URF, XPS | Power consumption (printing) * | 576.8 W |

| Features | | Power | |
|-----------------------------------|---|--|--|
| Printer fonts | Barcode, Bitmap, PCL | Power consumption (max) | 1289 W |
| Introduction month | October | Power consumption (ready) | 11.8 W |
| Introduction year | 2023 | Power consumption (PowerSave) | 0.4 W |
| Country of origin | Vietnam | Power consumption (off) | 0.1 W |
| Replacement cartridges | TK-5390K, TK-5390C, TK-5390M,TK-5390Y | Energy Star Typical Electricity Consumption (TEC) | 0.43 kWh/week |
| Input & output capacity | | AC input voltage | 220 - 240 V |
| Total number of input trays * | 2 | AC input frequency | 50/60 Hz |
| Total input capacity * | 650 sheets | System requirements | |
| Total output capacity * | 500 sheets | Windows operating systems | 1 |
| Paper tray 1 input capacity | 550 sheets | supported | • |
| Multi-Purpose tray | 1 | | Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 |
| Multi-Purpose tray input capacity | 100 sheets | | Sierra, Mac OS X 10.13 High Sierra, |
| Maximum number of input trays | 6 | | Mac OS X 10.14 Mojave, Mac OS X |
| Maximum input capacity | 2850 sheets | Mac operating systems supported | 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.9 Mavericks, |
| Maximum output capacity | 500 sheets | | Mac OS X 11.0 Big Sur, Mac OS X |
| Paper handling | | | 12.0 Monterey, Mac OS X 13.0 |
| Maximum ISO A-series paper size * | Α4 | | Ventura |
| Maximum print size | 216 x 356 mm | Linux operating systems supported | |
| | Letterhead, Plain paper, Pre-printed, | Other operating systems supported | ChromeOS |
| Paper tray media types * | Thicker paper | Operational conditions | |
| ISO A-series sizes (A0A9) * | A4, A5, A6 | Operating temperature (T-T) | 10 - 32.5 °C |
| ISO B-series sizes (B0B9) | B5, B6 | Storage temperature (T-T) | -20 - 40 °C |
| Non-ISO print media sizes | Legal, Letter | Operating relative humidity (H-H) | 10 - 80% |
| Custom media width | 105 - 216 mm | Storage relative humidity (H-H) | 10 - 90% |
| Custom media length | 140 - 356 mm | Operating altitude | 0 - 3500 m |
| Paper tray media weight | 60 - 220 g/m² | Sustainability | |
| Ports & interfaces | | Sustainability compliance | 1 |
| Direct printing * | 1 | Sustainability certificates | EPEAT Gold, Eco Mark Program |
| USB port * | 1 | Weight & dimensions | |
| USB 2.0 ports quantity | 3 | Width | 394 mm |
| Network | | Depth | 533 mm |
| | | Height | 455 mm |
| Wi-Fi * | × | Weight | 33 kg |
| Ethernet LAN * | • | - | 55 Kg |
| Cabling technology | 10/100/1000Base-T(X) | Packaging data | |
| Ethernet LAN data rates | 10,100,1000 Mbit/s | Package width | 702 mm |
| Near Field Communication (NFC) | × | Package depth | 567 mm |
| Bluetooth | × | Package height | 617 mm |
| Security algorithms | SNMPv3, TLS | Package weight | 41 kg |
| Mobile printing technologies | Apple AirPrint, Kyocera Mobile Print, Mopria Print Service | Packaging content | , |
| Performance | | Cartridge(s) included Included cartridge capacity (black) | ✓ 8000 pages |
| Internal memory * | 1000 MB | Included cartridge capacity (DIACK) | 6000 pages |
| Maximum internal memory | 3000 MB | Developer unit included | ✓ |
| Memory slots | 1 | Printer drum included | · · |
| Storage media | SSD | | |
| Card reader integrated | × | Batteries included | V |
| Compatible memory cards | SD | Cables included | AC |
| Built-in processor | 1 | Quick installation guide | 1 |
| | | User guide | × |
| | | Technical details | |
| | | Compliance certificates | CE, REACH, RoHS, cTUVus, UKCA, WEEE |





632983071779

0632983071779

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.