## MSI PRO B760M-P emolevy Intel B760 LGA 1700 mikro ATX

Tuotemerkki: MSI Tuotekoodi: PRO B760M-P

Tuotteen nimi: PRO B760M-P

MSI PRO B760M-P. Suoritinvalmistaja: Intel, Prosessorin kanta: LGA 1700, Yhteensopivat prosessorit: Intel® Celeron®, Intel® Pentium® Gold. Tuetut muistityypit: DDR5-SDRAM, Sisäinen enimmäismuisti: 192 GB, ECC-yhteensopivuus: Non-ECC. Tuetut tallennusasemaliitännät: SATA III, Tuetut tallennusasematyypit: HDD & SSD, RAID-tasot: 0, 1, 5, 10. Ethernet-liitännän tyyppi: Gigabitti Ethernet, LAN-kontrolleri: Realtek RTL8111H. Komponentti (tuotteelle): PC, Emolevyn muototekijä: mikro ATX, Emolevyn piirisarjan perhe: Intel







Processor			Rear panel I/O ports		
Processor manufacturer * Processor socket *		Intel LGA 1700	USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	
		Intel® Celeron®, Intel® Pentium®	Ethernet LAN (RJ-45) ports *	1	
Compatible processor series *		Gold	PS/2 ports quantity	2	
Supported processor sockets		LGA 1700	VGA (D-Sub) ports quantity *	1	
Memory			HDMI ports quantity *	1	
Supported memory types *	DDR5-SDR	АМ	HDMI version	1.4	
Number of memory slots * ECC compatibility	4 Non-ECC		DisplayPorts quantity	1	
Supported memory clock speeds	4800,5000	,5200,5400,5600,5800,6000,6200,6400,6600,6800	DisplayPort version	1.4	
Maximum internal memory *	MHz 192 GB		Headphone outputs	1	
Unbuffered memory	<b>√</b>		Line-in	✓	
Storage controllers			Microphone in	✓	
Supported storage drive types Supported storage drive interfaces*		HDD & SSD	Network		
		* SATA III	Ethernet LAN	✓	
Number of HDDs supported		4	Ethernet interface type	Gigabit Ethernet	
Number of storage drives supported		d 6	LAN controller	Realtek RTL8111H	
RAID support		✓	Wi-Fi *	×	
RAID levels		0, 1, 5, 10	Features		
Internal I/O			Motherboard chipset *	Intel B760	
USB 2.0 connectors *		4	Audio chip	Realtek ALC897	
USB 3.2 Gen 1 (3.1 Gen 1)		2	Audio output channels *	7.1 channels	
connectors *		2	Component for *	PC	
Number of SATA III connectors *		4	Motherboard form factor *	micro ATX	
Front panel audio connector		✓	Motherboard chipset family *	Intel	
Front panel connector		✓	Power source type	ATX	
ATX Power connector (24-pin)		<b>✓</b>	Windows operating systems	Windows 10 x64, Windows 11 x64	
CPU fan connector		<b>✓</b>	supported	WITHOUNS TO XO4, WITHOUNS II XO4	
Chassis intrusion connector		✓	Expansion slots		
Number of COM connectors		1	PCI Express x1 (Gen 4.x) slots	2	
TPM connector		✓	PCI Express x16 (Gen 4.x) slots	1	
Parallel connector		<b>✓</b>			

Internal I/O		BIOS	
RGB LED pin header  Rear panel I/O ports	<b>*</b>	BIOS type *	UEFI AMI
		BIOS memory size  ACPI version	256 Mbit 6.4
USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4 1	Clear CMOS jumper	<b>√</b>
		System Management BIOS (SMBIOS) version	3.5
		Weight & dimensions	
		Width	243.8 mm
		Depth	243.8 mm
		Packaging content	
		Cables included	SATA





4711377086578

4526541046001

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.