

Acer X1526HK dataprojektori Vakioprojektori 4000 ANSI lumenia DLP 1080p (1920x1080) Valkoinen

Tuotemerkki : Acer

Tuotekoodi: MR.JV611.001

Tuotteen nimi : X1526HK

Acer X1526HK. Projektorin kirkkaus: 4000 ANSI lumenia, Projektioteknologia: DLP, Projektorin oletusresoluutio: 1080p (1920x1080). Valonlähteen tyyppi: Lamppu, Valonlähteen käyttöikä: 4000 h, Valonlähteen käyttöikä (säästötila): 10000 h. Polttovälialue: 15.85 - 17.44 mm, Aukkoalue (F-F): 2 - 2,05, Heittosuhde: 1.5 - 1.65. Analogisen signaalin järjestelmä: NTSC, PAL, SECAM, Tuetut grafiikan erottelutarkkuudet: 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA). Sarjaliitännän tyyppi: RS-232





Projector		Ports & interfaces	
Supported aspect ratios	4:3, 16:9	Mobile High-Definition Link (MHL)	×
Projection distance	1 - 10 m	Network	
Projector brightness * Projection technology * Projector native resolution * Contrast ratio (typical) * Native aspect ratio *	4000 ANSI lumens DLP 1080p (1920x1080) 10000:1 16:9	Smart TV *	×
		Ethernet LAN *	×
		Storage	
		Card reader integrated *	×
Number of colours	1.07 billion colours 15 - 100 kHz	Features	
Horizontal scan range Vertical scan range	24 - 120 Hz		
Keystone correction, vertical	-40 - 40°	Interactive *	× 26 dB
Light source		Noise level (economic mode) Projection modes	Ceiling, Front, Rear
Light source type *	Lamp	Noise level *	32 dB
Service life of light source *	4000 h	Multimedia	
Service life of light source	10000 h	Built-in speaker(s) *	1
(economic mode)		RMS rated power	3 W
Lamp type Lamp power	OSRAM 245 W	Number of built-in speakers	1
Lamps quantity	1 lamp(s)	Design	
Lens system		Market positioning *	Business
Focal length range	15.85 - 17.44 mm	Product type *	Standard throw projector
Aperture range (F-F)	2 - 2.05	Product colour *	White
Zoom capability	 Z.00 ✓ 	Placement	Ceiling
Throw ratio	1.5 - 1.65	Display	
Video		Built-in display *	×
Analog signal format system *	NTSC, PAL, SECAM	Power	
Full HD *	<i>s</i>	Power source *	AC
3D *	×	Power consumption (typical) $*$	290 W
Supported graphics resolutions	1920 x 1080 (HD 1080), 1920 x	AC input voltage	120 - 230 V
	1200 (WUXGA)	Operational conditions	
Ports & interfaces		Operating temperature (T-T)	0 - 40 °C
USB 2.0 ports quantity	1	Weight & dimensions	
Audio (L/R) in * Audio (L/R) out	1	Width	322 mm
Serial interface type *	rs-232	Depth	225 mm
HDMI ports quantity *	2	Height	91 mm
,		Weight *	2.6 kg

Ports & interfaces		Packaging content	
DVI port *	×	Remote control included *	1
		Batteries included	1
		Cables included	AC
		Manual	1
		Logistics data	
		Quantity per pack	1 pc(s)



4711121000379

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.