*acer*

# Acer XL2330W data projector 5000 ANSI lumens DLP WXGA (1200x800) White

**Brand :** Acer

**Product name :** XL2330W

**Product code:** MR.JWR11.001

Acer XL2330W. Projector brightness: 5000 ANSI lumens, Projection technology: DLP, Projector native resolution: WXGA (1200x800). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Focus: Manual, Focal length range: 16.88 - 21.88 mm, Aperture range (F-F): 2.59 - 2.87. Serial interface type: RS-232, HDMI connector type: Full-size, HDMI version: 1.4b. Noise level (economic mode): 26 dB, Projection modes: Ceiling, Front

## Projector

| | |
|---|---|
| Smart projector * | ✘ |
| Screen size compatibility * | 736.6 - 7620 mm (29 - 300") |
| Projection distance | 1 - 10 m |
| Projector brightness * | 5000 ANSI lumens |
| Projection technology * | DLP |
| Projector native resolution * | WXGA (1200x800) |
| Contrast ratio (typical) * | 50000:1 |
| Native aspect ratio * | 16:10 |
| Number of colours | 1.07 billion colours |
| Projector brightness (economic mode) | 3750 ANSI lumens |
| Uniformity | 75% |
| Horizontal scan range | 15 - 100 kHz |
| Vertical scan range | 24 - 120 Hz |

### Light source

| | |
|---|---|
| Light source type * | Laser |
| Service life of light source * | 20000 h |
| Service life of light source (economic mode) | 30000 h |
| Lamps quantity | 1 lamp(s) |

### Lens system

| | |
|---|---|
| Focus * | Manual |
| Focal length range | 16.88 - 21.88 mm |
| Aperture range (F-F) | 2.59 - 2.87 |
| Zoom capability | ✔ |
| Zoom type | Manual |
| Zoom ratio | 1.1:1 |

### Video

| | |
|---|---|
| 3D * | ✘ |

### Ports & interfaces

| | |
|---|---|
| HDMI connector type | Full-size |
| HDMI version | 1.4b |
| Service port type | USB Type-A |
| USB 2.0 ports quantity * | 1 |
| Headphone outputs | 1 |
| Serial interface type * | RS-232 |
| PC Audio out | ✔ |
| HDMI ports quantity * | 2 |

## Storage

| | |
|---|---|
| Card reader integrated * | ✘ |

## Features

| | |
|---|---|
| Interactive * | ✘ |
| Noise level (economic mode) | 26 dB |
| HDCP | ✔ |
| Projection modes | Ceiling, Front |
| High Dynamic Range (HDR) supported | ✔ |

## Multimedia

| | |
|---|---|
| Built-in speaker(s) * | ✔ |
| RMS rated power | 15 W |
| Number of built-in speakers | 1 |

## Design

| | |
|---|---|
| Product colour * | White |
| LED indicators | ✔ |

## Display

| | |
|---|---|
| Built-in display * | ✘ |

## Power

| | |
|---|---|
| Power source * | AC |
| Power consumption (typical) * | 250 W |
| Power consumption (standby) * | 0.5 W |
| Power consumption (economy mode) | 145 W |
| AC input voltage | 100 - 240 V |
| Auto power off | ✔ |

## Weight & dimensions

| | |
|---|---|
| Width | 286 mm |
| Depth | 216 mm |
| Height | 115 mm |
| Weight * | 2.9 kg |
| Package width | 400 mm |
| Package depth | 158 mm |
| Package height | 280 mm |

## Packaging content

| | |
|---|---|
| Remote control included * | ✔ |
| Cables included | HDMI, Power |
| Manual | ✔ |

| Ports & interfaces | | Technical details | |
| --- | --- | --- | --- |
| AC (power) in | ✔ | Warranty period | 5 year(s) |
| **Network** | | **Logistics data** | |
| Ethernet LAN * | ✘ | Quantity per pack | 1 pc(s) |

4711121610516