



Canon i-SENSYS MF754CDW Laser A4 1200 x 1200 DPI 33 ppm Wi-Fi

Tuotemerkki : Canon

Tuoteperhe: i-SENSYS

Tuotekoodi: 5455C009

Tuotteen nimi : MF754CDW

Canon i-SENSYS MF754CDW. Tulostustekniikka: Laser, Tulostus: Väritulostus, Suurin resoluutio: 1200 x 1200 DPI. Kopiointi: Värikopiointi, Kopioinnin enimmäistarkkuus: 600 x 600 DPI. Skannaus: Väriskannaus, Optinen skannauserottelutarkkuus: 600 x 600 DPI. Faksaus: Värifaksaus. Kaksipuolinen toiminto: Skannaus. Suurin ISO A-luokan paperikoko: A4. Wi-Fi. Tuotteen väri: Valkoinen



Printing		Paper handling	
Print technology *	Laser	ISO B-series sizes (B0...B9)	B5
Printing *	Colour printing	Non-ISO print media sizes	Executive, Letter, Statement
Maximum resolution *	1200 x 1200 DPI	Envelopes sizes	C5, Com-10, DL, Monarch
Print speed (black, normal quality, A4/US Letter) *	33 ppm	Paper tray media weight	60 - 200 g/m ²
Warm-up time	14 s	Ports & interfaces	
Time to first page (black, normal)	7.1 s	USB port	✓
Time to first page (colour, normal)	7.1 s	USB 2.0 ports quantity	1
Copying		Network	
Duplex copying *	✓	Wi-Fi *	✓
Copying *	Colour copying	Ethernet LAN *	✓
Maximum copy resolution *	600 x 600 DPI	Ethernet LAN data rates	10,100,1000 Mbit/s
Maximum number of copies	999 copies	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Copier resize	25 - 400%	Security algorithms	64-bit WEP, 128-bit WEP, WPA-AES, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK, WPA2-TKIP
ID-card copy function	✓	Management protocols	SNMPv1, SNMPv3 (IPv4,IPv6)
Scanning		Performance	
Duplex scanning *	✓	Internal memory *	1024 MB
Scanning *	Colour scanning	Built-in processor	✓
Optical scanning resolution *	600 x 600 DPI	Processor frequency	1200 MHz
Scanner type *	ADF scanner	Sound power level (printing)	65 dB
Scan to	Cloud, E-mail, FTP, USB	Sound power level (standby)	41 dB
Input colour depth	24 bit	Design	
Output colour depth	24 bit	Product colour *	White
Greyscale levels	256	Market positioning *	Business
Scan drivers	ICA, TWAIN, WIA	Built-in display *	✓
Fax		Display	LCD
Faxing *	Colour faxing	Control type	Touch
Modem speed	33.6 Kbit/s	Colour display	✓
Fax memory	512 pages		
Speed dialling	✓		

Features		Power	
Recommended duty cycle	750 - 4000 pages per month	Power consumption (max)	1380 W
Maximum duty cycle *	50000 pages per month	Power consumption (printing)	700 W
Duplex functions *	Scan	Power consumption (standby)	24 W
Printing colours *	Black, Cyan, Magenta, Yellow	Power consumption (sleep)	1 W
Input & output capacity		Energy Star Typical Electricity Consumption (TEC)	0.3 kWh/week
Total number of input trays *	1	AC input voltage	220 - 240 V
Total input capacity *	250 sheets	AC input frequency	50 - 60 Hz
Total output capacity *	150 sheets	System requirements	
Multi-Purpose tray	✓	Windows operating systems supported	Windows 10, Windows 11, Windows 8.1
Multi-Purpose tray input capacity	50 sheets	Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey
Auto document feeder (ADF)	✓	Linux operating systems supported	✓
Auto document feeder (ADF) input capacity	50 sheets	Server operating systems supported	Windows Server 2022, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
Maximum input capacity	850 sheets	Operational conditions	
Paper handling		Operating relative humidity (H-H)	20 - 80%
Maximum ISO A-series paper size *	A4	Operating temperature (T-T)	10 - 30 °C
Paper tray media types *	Coated paper, Envelopes, Heavy paper, Plain paper, Postcard, Recycled paper, Thin paper	Weight & dimensions	
ISO A-series sizes (A0...A9) *	A4, A5, A6	Width	425 mm
		Depth	461 mm
		Height	430 mm
		Weight	23.3 kg



4549292193152

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-DEC-2024. Prints or copies of Information are only valid on the printed Publication date