MSI PRO H610M-G emolevy Intel H610 LGA 1700 mikro ATX

Tuotemerkki : MSI

Tuotekoodi: PRO H610M-G

Tuotteen nimi : PRO H610M-G



MSI PRO H610M-G. Suoritinvalmistaja: Intel, Prosessorin kanta: LGA 1700, Yhteensopivat prosessorit: Intel® Core™ i9. Tuetut muistityypit: DDR5-SDRAM, Sisäinen enimmäismuisti: 96 GB, Muistipaikkojen tyyppi: DIMM. Tuetut tallennusasemaliitännät: M.2, SATA III, Tuetut tallennusasematyypit: SSD. Ethernet-liitännän tyyppi: Gigabitti Ethernet. Komponentti (tuotteelle): PC, Emolevyn muototekijä: mikro ATX, Emolevyn piirisarjan perhe: Intel

Processor	
Processor manufacturer *	Intel
Processor socket *	LGA 1700
Compatible processor series *	Intel® Core™ i9
Supported processor sockets	LGA 1700
Memory	
Supported memory types *	DDR5-SDRAM
Number of memory slots *	2
Memory slots type	DIMM
Memory channels	Dual-channel
ECC compatibility	Non-ECC
Supported memory clock speeds	5600 MHz
Supported memory clock speed (max)	5600 MHz
Maximum internal memory *	96 GB
Storage controllers	
Supported storage drive types	SSD
Supported storage drive interfaces *	M.2, SATA III
Graphics	
Parallel processing technology support *	Not supported
On-board graphics card	✗
Internal I/O	
USB 2.0 connectors *	2
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2
Number of SATA III connectors *	4
Front panel audio connector	✓
ATX Power connector (24-pin)	✓
CPU fan connector	✓
TPM connector	✓
12V power connector	✓

Rear panel I/O ports	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
Ethernet LAN (RJ-45) ports *	1
VGA (D-Sub) ports quantity *	1
HDMI ports quantity *	1
HDMI version	2.1
DisplayPorts quantity	1
DisplayPort version	1.4
Network	
Ethernet LAN	✓
Ethernet interface type	Gigabit Ethernet
Wi-Fi *	✗
Features	
Motherboard chipset *	Intel H610
Audio chip	Realtek ALC897
Audio output channels *	7.1 channels
Product colour	Black
Component for *	PC
Motherboard form factor *	micro ATX
Motherboard chipset family *	Intel
Windows operating systems supported	Windows 10, Windows 11
Expansion slots	
PCI Express x1 slots	1
PCI Express x16 slots	1
Number of M.2 (M) slots	1
BIOS	
BIOS type *	UEFI AMI
BIOS memory size	256 Mbit
ACPI version	6.4
System Management BIOS (SMBIOS) version	3.4

Rear panel I/O ports	
USB 2.0 ports quantity *	4

Weight & dimensions	
Width	211 mm
Depth	243.8 mm

Packaging content	
Cables included	SATA
Drivers included	✔

4719072942663

0824142282755

824142282755

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-MAR-2025. Prints or copies of Information are only valid on the printed Publication date