



ATEN CS22DP-AT KVM-kytkin musta

Tuotemerkki : ATEN

Tuotekoodi: CS22DP-AT

Tuotteen nimi : CS22DP-AT

ATEN CS22DP-AT. Näppäimistöportin liitin: USB, Hiiriportin liitin: USB, Videoportin tyyppi: DisplayPort. HD-tyyppi: 4K Ultra HD, Enimmäiserottelutarkkuus: 4096 x 2160 pikseliä, Videokaistanleveys: 30 Hz. Tuotteen väri: musta, Kotelon materiaali: Muovi, Johdon pituus: 1,2 m. Voimanlähde: DC, Tulojännite: 5 V, Virrankulutus: 1,38 W. Kestävän kehityksen sertifikaatit: RoHS, Vaatimustenmukaisuustodistukset: RoHS



Ports & interfaces		System requirements	
Number of computers controlled *	2	Windows operating systems supported	✓
Keyboard port type *	USB	Linux operating systems supported	✓
Mouse port type *	USB	Mac operating systems supported	✓
Video port type *	DisplayPort		
DisplayPorts quantity	1		
DisplayPort version	1.1		
Console ports *	3.5mm headphone, 3.5mm mic, DisplayPort, USB A		
Console USB ports quantity	2		
USB 2.0 ports quantity	2		
USB connector type	Micro-USB B, USB Type-A		
Audio connections	✓		
Headphone outputs	1		
Number of microphone inputs	1		
Network		Sustainability	
Ethernet LAN	✗	Sustainability certificates	RoHS
		Compliance certificates	RoHS
Performance		Operational conditions	
HD type *	4K Ultra HD	Operating temperature (T-T)	0 - 50 °C
Maximum resolution *	4096 x 2160 pixels	Storage temperature (T-T)	-20 - 60 °C
Video bandwidth	30 Hz	Operating relative humidity (H-H)	0 - 80%
HDCP	✓		
Hot-Plug support	✓		
Design		Weight & dimensions	
Rack mounting *	✗	Width	84.2 mm
Product colour *	Black	Depth	83.4 mm
Housing material	Plastic	Height	30.4 mm
Wired remote switch	✓	Weight	360 g
Cable length	1.2 m		
Remote switch cable length	1.8 m		
LED indicators	✓		
Display		Packaging data	
Built-in display *	✗	Package width	55 mm
		Package depth	155 mm
		Package height	225 mm
		Package weight	435 g
		Packaging content	
		Manual	✓
		Logistics data	
		Master (outer) case net weight	7.2 kg
		Harmonized System (HS) code	85176200
		Master (outer) case width	328 mm
		Master (outer) case length	389 mm
		Master (outer) case height	330 mm
		Master (outer) case gross weight	9.33 kg
		Products per master (outer) case	20 pc(s)

Power

Power source	DC
Input voltage	5 V
Power consumption (typical)	1.38 W
USB powered	✓



4719264645525



0672792007408



672792007408

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.