

Epson WorkForce DS-410 Sheet-fed scanner 600 x 600 DPI A4 Black, White

Brand : Epson

Product family: WorkForce

Product code: B11B249401

Product name : DS-410

Epson WorkForce DS-410. Maximum scan size: 215.9 x 3048 mm, Optical scanning resolution: 600 x 600 DPI, Input colour depth: 48 bit. Scanner type: Sheet-fed scanner, Product colour: Black, White. Sensor type: CIS, Daily duty cycle (max): 3000 pages, Scan file formats: BMP, JPG, PDF, PNG, TIFF. Standard input capacity: 50 sheets, Auto document feeder (ADF) input capacity: 50 sheets. Maximum ISO A-series paper size: A4, Scanning media types supported: Business Card, Post Card(JPN), ISO A-series sizes (A0...A9): A4, A5, A6



Scanning		Packaging data		
Maximum scan size *	215.9 x 3048 mm	Quantity per pack	1 pc(s)	
Optical scanning resolution *	600 x 600 DPI	Package width	245 mm	
Colour scanning	✓	Package depth	395 mm	
Duplex scanning *	✓	Package height	240 mm	
Input colour depth	48 bit	Package weight	3.6 kg	
Output colour depth	16 bit	Packaging content		
Input greyscale depth	16 bit	Cables included	AC	
Output greyscale depth	8 bit	Bundled software	Document Capture Pro 2.0, Epson Document Capture (Mac only), Epson Scan 2	
ADF scan speed (b/w, A4)	26 ppm	Sustainability		
ADF scan speed (colour, A4)	26 ppm	Sustainability certificates	ENERGY STAR	
Design		System requirements		
Scanner type *	Sheet-fed scanner	Compatible operating systems	Mac OS 10.10.x, Mac OS 10.11, Mac OS 10.6+, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X 10.11.x, Mac OS X 10.12, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Server 2003 R2 x64, Windows Server 2008 R2, Windows Server 2012 R2, Windows Vista, Windows XP	
Product colour *	Black, White		Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP
Built-in display *	✗		Mac operating systems supported	Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Performance		Server operating systems supported	Windows Server 2003 R2, Windows Server 2008 R2, Windows Server 2012 R2	
Sensor type *	CIS			
Scan file formats	BMP, JPG, PDF, PNG, TIFF			
Daily duty cycle (max) *	3000 pages			
Scan drivers	TWAIN, WIA, ISIS			
Input capacity				
Standard input capacity	50 sheets			
Auto document feeder (ADF) input capacity	50 sheets			
Paper handling				
Scanning media types supported	Business Card, Post Card(JPN)			
Maximum ISO A-series paper size *	A4			
ISO A-series sizes (A0...A9)	A4, A5, A6			
ISO B-series sizes (B0...B9)	B5, B6			

Paper handling		Operational conditions	
Letter	✓	Operating temperature (T-T)	5 - 35 °C
Legal	✓	Storage temperature (T-T)	60 - 25 °C
Paper tray media weight	50 - 209 g/m ²	Operating relative humidity (H-H)	15 - 80%
Auto Document Feeder (ADF) media weight	50 - 209 g/m ²	Storage relative humidity (H-H)	15 - 85%
Ports & interfaces		Other features	
USB port *	✓	Output resolutions	600 dpi
USB version	2.0	Image formats supported	BMP, JPEG, TIFF, PNG
Standard interfaces	USB 2.0	Logistics data	
Power		Products per pallet	72 pc(s)
Power supply type *	AC	Country of origin	China
Power consumption (off)	0.2 W	Pallet gross weight	0 g
AC input frequency	50 - 60 Hz	Pallet gross length	120 cm
Input voltage	100 - 120 V	Pallet gross width	80 cm
Power supply	15 W	Pallet gross height	2.07 m
Weight & dimensions		Products per pallet layer	9 pc(s)
Width	297 mm	Products per pallet layer (UK)	12 pc(s)
Depth	152 mm	Products per pallet (UK)	96 pc(s)
Height	154 mm	Pallet weight (UK)	0 g
Weight	2.5 kg	Pallet length (UK)	120 cm
		Pallet width (UK)	100 cm
		Pallet height (UK)	2.07 m
		Harmonized System (HS) code	84716070



8715946638386

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 21-DEC-2024. Prints or copies of Information are only valid on the printed Publication date