

TP-Link TL-SG108E Hallittu L2 Gigabit Ethernet (10/100/1000) musta

Tuotemerkki: TP-Link
Tuotekoodi: TL-SG108E V5

Tuotteen nimi: TL-SG108E




TP-Link TL-SG108E. Kytkin tyyppi: Hallittu, Kytkinkerros: L2. Peruskytkentä RJ-45 Ethernet-porttien tyyppi: Gigabit Ethernet (10/100/1000), Basic kytkentä RJ-45 Ethernet-porttien määrä: 8. MAC-osoitetaulukko: 4000 entries, Kytkentäkapasiteetti: 16 Gbit/s. Verkkostandardit: IEEE 802.1ab, IEEE 802.1p, IEEE 802.1Q, IEEE 802.3u, IEEE 802.3u, IEEE 802.3x



Management features		Security	
Switch type *	Managed	Loop protection	1
Switch layer	L2	Design	
Quality of Service (QoS) support	✓	Product colour	Black
Web-based management	1	Housing material	Metal
Ports & interfaces		LED indicators	✓
Basic switching RJ-45 Ethernet ports quantity *	8	Performance	
Basic switching RJ-45 Ethernet ports	Gigabit Ethernet (10/100/1000)	Plug and Play	✓
type * Gigabit Ethernet (copper) ports		Power	
quantity	8	Power source *	DC
Network		Power supply included *	1
Networking standards *	IEEE 802.1ab, IEEE 802.1p, IEEE 802.1Q, IEEE 802.3, IEEE 802.3u, IEEE 802.3x	Input current Input voltage Power consumption (max)	0.6 A 9 V 3.55 W
10G support *	×	Operational conditions	
Cable types supported	Cat3, Cat4, Cat5, Cat5e	Operating temperature (T-T)	0 - 40 °C
Port mirroring	1	Storage temperature (T-T)	-40 - 70 °C
Link aggregation	1	Operating relative humidity (H-H)	10 - 90%
Broadcast storm control	1	Storage relative humidity (H-H)	5 - 90%
Auto MDI/MDI-X	✓	Heat dissipation	12.12 BTU/h
Auto-negotiation	✓	Weight & dimensions	
VLAN support	✓	Width	158 mm
Virtual LAN features	Port-based VLAN	Depth	101 mm
Number of VLANs	32	Height	25 mm
Data transmission		Packaging content	
Switching capacity *	16 Gbit/s	Cables included	AC

Data transmission		Packaging content	
Forwarding rate	11.9 Mpps	User guide	✓
MAC address table * Store-and-forward	4000 entries	Packaging data	
Jumbo frames support Jumbo frames Packet buffer memory	15000 1.5 MB	Package type Package width Package depth	Box 130 mm 191 mm
Security		Package height Package weight	92 mm 630 g
IGMP snooping	✓	Certificates	
Security algorithms	SNMP, SNMPv2, SNMPv3	Certification	FCC, CE, RoHS









Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.