

Epson TM-T20III (011): USB + Serial, PS, Blk, EU

Tuotemerkki : Epson

Tuotekoodi: C31CH51011

Tuotteen nimi : TM-T20III (011): USB + Serial, PS, Blk, EU

- Taloudellinen: Automaattinen paperinsäästötoiminto
- Luotettava: Mekanismin kesto 15 miljoonaa riviä
- Suuri tulostusnopeus: Tulostusnopeus 250 mm/s
- Joustavat liitännät: Kaksi mallia: 1) USB + sarjaliitettä, 2) Ethernet
- Mielenrauhaa: Epson on Euroopan johtava myyntipistetulostimien valmistaja¹

TM-T20III (011): USB Serial, PS, Blk, EU

Epson TM-T20III (011): USB + Serial, PS, Blk, EU. Tulostustekniikka: Suoralämpö, Malli:

Maksupäätetulostin, Suurin resoluutio: 203 x 203 DPI. Suurin rullan halkaisija: 8,3 cm, Tuetut paperin leveydet: 80 mm. Yhteysteknologia: Langallinen, USB-liitin: USB B-tyyppi, Sarjaliitännän tyyppi: RS-232. Äänenpainetaso (tulostus): 55 dB, Keskimääräinen vikaantumisaika: 360000 h, Automaattisen leikkaajan kestävyys: 1,5 miljoonaa leikkausta. Tuotteen väri: musta



Printing		Operational conditions	
Maximum resolution	203 x 203 DPI	Operating temperature (T-T)	5 - 45 °C
Print speed	250 mm/sec	Storage temperature (T-T)	-10 - 50 °C
Character density	22.6 cpi	Operating relative humidity (H-H)	10 - 90%
Printing characters	Text, Graphic, Barcode	Storage relative humidity (H-H)	10 - 90%
Character sets	ANK	Weight & dimensions	
Print technology *	Direct thermal	Width	140 mm
Type *	POS printer	Depth	199 mm
Paper handling		Height	146 mm
Maximum roll diameter	8.3 cm	Weight	1.7 kg
Supported paper width	80 mm	Packaging data	
Ports & interfaces		Cables included	AC
USB port *	✓	Quantity per pack	1 pc(s)
USB 2.0 ports quantity	1	Package width	192 mm
USB connector	USB Type-B	Package depth	235 mm
Serial interface *	✓	Package height	280 mm
Serial interface type	RS-232	Package weight	2.62 kg
Connectivity technology *	Wired	Packaging content	
Serial ports quantity	1	Drivers included	✓
Standard interfaces	RS-232, USB 2.0	Quick start guide	✓
Network		AC adapter included	✓
Ethernet LAN *	✗	Print technology	
Wi-Fi *	✗	Column capacity	48/64
Features		Logistics data	
Sound pressure level (printing)	55 dB	Pallet weight (UK)	0 g
Mean time between failures (MTBF)	360000 h	Harmonized System (HS) code	84433210
Cutter	✓	Products per master (outer) case	4 pc(s)
Half-cutter	✓	Master (outer) case width	400 mm
Autocutter durability	1.5 million cuts	Master (outer) case length	490 mm
Paper save function	✓	Master (outer) case height	295 mm

Features		Logistics data	
Print head life	150 km	Master (outer) case gross weight	0 g
Country of origin	Philippines	Products per pallet	112 pc(s)
Mounting position	Horizontal/Vertical	Products per pallet layer	16 pc(s)
Wall mountable	✓	Pallet gross weight	0 g
Built-in sensors details	Roll paper cover open sensor, Paper End Sensor, Paper Near End Sensor	Products per pallet (UK)	168 pc(s)
Safety	UL, CSA, TÜV	Products per pallet layer (UK)	24 pc(s)
Certification	FCC-Class A, CE, EN55022-Class A	Technical details	
Design		Lifetime	15000000 lines
Product colour *	Black	Other features	
Power		Buffer size	4 KB
Power source type *	AC	Mean cycles between failures (MCBF)	60000000
AC input voltage	24 V	Print head life	150.000.000 Impulse
Power consumption	1800 mA	Print head life	150 million characters
Power consumption (standby)	100 mA		



8715946669649

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-DEC-2024. Prints or copies of Information are only valid on the printed Publication date