



EZVIZ BC1C 2K+ Luoti (muoto) IP-turvakamera Ulkona 2560 x 1440 pikseliä Katto/seinä

Tuotemerkki : EZVIZ

Tuotekoodi: CS-BC1C-A0-2C4WPBDL

Tuotteen nimi : BC1C 2K+



EZVIZ BC1C 2K+. Malli: IP-turvakamera, Tuettu sijoitus: Ulkona, Yhteysteknologia: Langaton.
Kiinnitystyyppi: Katto/seinä, Tuotteen väri: musta, Harmaa, Kotelo: Luoti (muoto). Objektiivin kuvakulma, vaakasuora: 100°, Objektiivin kuvakulma, pystysuora: 52°, Objektiivin kuvakulma, kulmittain: 116°. Anturin tyyppi: CMOS, Optisen sensorin koko: 25,4 / 2,8 mm (1 / 2.8"). Kiinteä polttoväli: 2,8 mm

Performance		Network	
Type *	IP security camera	Networking standards	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Placement supported *	Outdoor	Wi-Fi *	✓
Connectivity technology *	Wireless	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Day/night mode	✓	Wi-Fi data rate (max)	72 Mbit/s
Infrared (IR) cut-off filter	✓	Bluetooth *	✗
Operating frequency	2400 - 2483.5 MHz	Storage	
Certification	CE/FCC/WEEE/ROHS/REACH/UL	Built-in HDD *	✗
Design		Flash memory	32768 MB
Form factor *	Bullet	Ports & interfaces	
Mounting type *	Ceiling/wall	DC-in jack	✓
Product colour *	Black, Grey	Security	
Protection features	Dust resistant, Water resistant	Password protection	✓
International Protection (IP) code	IP66	Video motion detection	✓
Weatherproof	✓	Security algorithms	64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK
Camera		Intelligent Video Surveillance (IVS) system features	Human detection
Minimum illumination	0 lx	Anti-flicker	✓
Lens viewing angle, horizontal	100°	Heartbeat	✓
Lens viewing angle, vertical	52°	Digital watermark	✓
Lens viewing angle, diagonal	116°	Power	
Adjustment shutter speed	Auto	Power source type *	Battery
Image sensor		Power consumption (max)	5 W
Number of sensors	1	DC output voltage	5
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")	DC output current	2 A
Progressive scan	✓	Battery capacity	10400 mAh
Sensor type *	CMOS	Operational conditions	
Lens system		Operating temperature (T-T)	-20 - 50 °C
Number of lenses *	1	Operating relative humidity (H-H)	0 - 95%
Maximum aperture number	1	Weight & dimensions	
Fixed focal length	2.8 mm	Width	104.8 mm
Night vision		Depth	62.8 mm
Night vision *	✓	Height	62.8 mm
Night vision distance	10 m	Weight	365 g
LED type	IR	Video	
Video		Maximum resolution *	2560 x 1440 pixels
Total megapixels *	4 MP	Total megapixels *	4 MP

Video		Packaging data	
Video formats supported	H.264, H.265	Package width	186 mm
Video compression formats	H.264, H.265	Package depth	103 mm
Supported video modes	1440p	Package height	103 mm
Video recording	✓	Package weight	835 g
Frame rate	15 fps	Packaging content	
Video streaming	✓	Number of cameras *	1
Noise reduction	✓	Cables included	USB
Noise reduction technology	3D noise reduction	Mounting kit	✓
Bit rate	2Mbps	Mounting brackets included	✓
Network		Screws included	✓
Ethernet LAN *	✗	AC adapter included	✓
		Quick start guide	✓
		Technical details	
		Lens mount interface	M12



6941545605791

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 18-DEC-2024. Prints or copies of Information are only valid on the printed Publication date