



BenQ TH690ST dataprojektori Lähiprojektori 2300 ANSI lumenia LED 1080p (1920x1080) musta, Valkoinen



Tuotemerkki : BenQ

Tuotekoodi: 9H.JPS77.17E

Tuotteen nimi : TH690ST

BenQ TH690ST. Projektorin kirkkaus: 2300 ANSI lumenia, Projektioteknologia: LED, Projektorin oletusresoluutio: 1080p (1920x1080). Valonlähteen tyyppi: LED, Valonlähteen käyttöikä: 20000 h, Valonlähteen käyttöikä (säästötila): 30000 h. Polttovälialue: 10.2 - 12.24 mm, Aukkoalue (F-F): 2,6 - 2,78, Zoomaussuhde: 1.2:1. Tuetut grafiikan erottelutarkkuudet: 640 x 480 (VGA), 3840 x 2160, Tuetut videomoodit: 1080p. Sarjaliitännän tyyppi: RS-232, HDMI/liitäntätyyppi: Täysikokoinen, HDMI-versio: 2.0b

Projector		Network	
Supported aspect ratios	16:9	Smart TV *	✗
Projector brightness *	2300 ANSI lumens	Ethernet LAN *	✗
Projection technology *	LED	Wi-Fi *	✗
Projector native resolution *	1080p (1920x1080)		
Contrast ratio (typical) *	500000:1		
Native aspect ratio *	16:9		
Number of colours	1.07 billion colours		
Horizontal scan range	15 - 135 kHz		
Vertical scan range	23 - 120 Hz		
Keystone correction, horizontal	30°		
Keystone correction, vertical	30°		
Light source		Storage	
Light source type *	LED	Card reader integrated *	✗
Service life of light source *	20000 h		
Service life of light source (economic mode)	30000 h		
Lens system		Features	
Focal length range	10.2 - 12.24 mm	Noise level (economic mode)	28 dB
Aperture range (F-F)	2.6 - 2.78	HDCP	✓
Zoom ratio	1.2:1	Noise level *	33 dB
Throw ratio	0.69 - 0.83	High Dynamic Range (HDR) supported	✓
Offset	102.5%	High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG)
Video		Multimedia	
Full HD *	✓	Built-in speaker(s) *	✓
3D *	✗	RMS rated power	5 W
Supported graphics resolutions	640 x 480 (VGA), 3840 x 2160	Number of built-in speakers	2
Supported video modes	1080p		
Ports & interfaces		Design	
HDMI connector type	Full-size	Market positioning *	Gaming
HDMI version	2.0b	Product type *	Short throw projector
USB 2.0 ports quantity	1	Product colour *	Black, White
USB 2.0 Type-A ports quantity	1		
Serial interface type *	RS-232		
S/PDIF out port	✓		
HDMI ports quantity *	2		
		Power	
		Power source *	AC
		Power consumption (typical) *	140 W
		Power consumption (standby) *	0.5 W
		AC input voltage	100 - 240 V
		AC input frequency	50 - 60 Hz
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Weight & dimensions	
		Width	366 mm
		Depth	244 mm
		Height	118 mm
		Weight *	3.6 kg
		Packaging content	
		Remote control included *	✓
		Batteries included	✓
		Cables included	AC

Logistics data

Quantity per pack	1 pc(s)
Harmonized System (HS) code	85286200



4718755087790

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-DEC-2024. Prints or copies of Information are only valid on the printed Publication date