



Canon MAXIFY MB2150 Mustesuihku A4 600 x 1200 DPI 19 ppm Wi-Fi

Tuotemerkki : Canon

Tuoteperhe: MAXIFY

Tuotekoodi: 0959C009

Tuotteen nimi : MB2150

Canon MAXIFY MB2150. Tulostustekniikka: Mustesuihku, Tulostus: Väritulostus, Suurin resoluutio: 600 x 1200 DPI, Tulostusnopeus (väri, normaalilaatu, A4/US Letter): 13 ppm. Kopiointi: Värikopiointi. Skannaus: Väriskannaus, Optinen skannauserottelutarkkuus: 1200 x 1200 DPI. Faksaus: Väriefaksaus. Suurin ISO A-luokan paperikoko: A4. Wi-Fi. Tuotteen väri: musta



Printing		Paper handling	
Duplex printing mode	Auto	Paper tray media types *	Envelopes, Glossy paper, High resolution paper, Matte paper, Plain paper, Semi-glossy paper
Print technology *	Inkjet	ISO A-series sizes (A0...A9) *	A4, A5
Printing *	Colour printing	ISO B-series sizes (B0...B9)	B5
Duplex printing *	✓	Envelopes sizes	10, C5, DL, Monarch
Maximum resolution *	600 x 1200 DPI	Photo paper sizes	10x15,13x18,20x25
Print speed (black, normal quality, A4/US Letter) *	19 ppm	Custom media width	89 - 215.9 mm
Print speed (colour, normal quality, A4/US Letter)	13 ppm	Custom media length	127 - 355.6 mm
Time to first page (black, normal)	6 s	Paper tray media weight	64 - 105 g/m ²
Time to first page (colour, normal)	7 s	Ports & interfaces	
Copying		Standard interfaces	USB 2.0, Wireless LAN
Copying *	Colour copying	USB port	✓
Copy speed (black, normal quality, A4)	18 cpm	USB 2.0 ports quantity	1
Copy speed (colour, normal quality, A4)	10 cpm	Network	
Maximum number of copies	99 copies	Wi-Fi *	✓
Copier resize	25 - 400%	Ethernet LAN *	✗
N-in-1 copy function (N=)	2, 4	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Scanning		Security algorithms	SNMP
Scanning *	Colour scanning	Mobile printing technologies	Apple AirPrint, Google Cloud Print, Mopria Print Service
Optical scanning resolution *	1200 x 1200 DPI	Design	
Maximum scan area	216 x 297 mm	Product colour *	Black
Scanner type *	Flatbed & ADF scanner	Market positioning *	Home & office
Scan technology	CIS	Built-in display *	✓
Scan to	Cloud, E-mail, HTTP, USB	Display	TFT
Input colour depth	48 bit	Display diagonal	6.35 cm (2.5")
Output colour depth	24 bit	Colour display	✓
Fax		Power	
Faxing *	Colour faxing	Power consumption (copying)	27 W
Fax resolution (black)	300 x 300 DPI	Power consumption (off)	0.2 W
Fax transmission speed	3 sec/page	Energy Star Typical Electricity Consumption (TEC)	0.2 kWh/week
Modem speed	33.6 Kbit/s	AC input voltage	100 - 240 V
Fax memory	250 pages	AC input frequency	50 - 60 Hz
Fax speed dialing (max numbers)	100		
Features			
Recommended duty cycle	200 - 1000 pages per month		

Features		System requirements	
Maximum duty cycle *	20000 pages per month	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64	
Number of print cartridges *	4		
Printing colours *	Black, Cyan, Magenta, Yellow		
Input & output capacity		Windows operating systems supported	
Total number of input trays *	1		
Total input capacity *	250 sheets		
Paper input type	Cassette	Server operating systems supported	
Auto document feeder (ADF)	✓		
Auto document feeder (ADF) input capacity	50 sheets		
Paper handling		Mobile operating systems supported	
Maximum ISO A-series paper size *	A4		
Operational conditions			
Operating relative humidity (H-H)	10 - 80%		
Operating temperature (T-T)	15 - 30 °C		
Weight & dimensions			
Width	463 mm		
Depth	389 mm		
Height	260 mm		
Weight	10.6 kg		
Packaging content			
Drivers included	✓		
Bundled software	Quick Utility Toolbox, IJ Network Device Setup Utility, Easy-WebPrint EX		
Other features			
Cartridge type	PGI-1500XL BK, PGI-1500XL C, PGI-1500XL M, PGI-1500XL Y		
Noise level	56 dB		



4549292051254

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-DEC-2024. Prints or copies of Information are only valid on the printed Publication date