

**Philips 32BDL3511Q/00 Signage Display Digital A-board 81.3 cm (32") 350 cd/m<sup>2</sup> Full HD Black 18/7**



**Brand :** Philips

**Product code:** 32BDL3511Q/00

**Product name :** 32BDL3511Q/00

- Easy-setup 18/7 display
- 32"
- Direct LED Backlight
- Full HD



32" Full HD 1920 x 1080 VA, 350 cd/m<sup>2</sup>, 4000:1, 16.7 Million, DVI-I, HDMI, USB, RJ-45, RS232C, 18/7 Philips 32BDL3511Q/00. Product design: Digital A-board. Display diagonal: 81.3 cm (32"), Display resolution: 1920 x 1080 pixels, Display brightness: 350 cd/m<sup>2</sup>, HD type: Full HD. Operating hours (hours/days): 18/7. Product colour: Black

**Display**

Panel type	VA
LED backlighting type	Direct-LED
Display diagonal *	81.3 cm (32")
Display resolution *	1920 x 1080 pixels
Display brightness *	350 cd/m <sup>2</sup>
HD type *	Full HD
Touchscreen *	✗
Native aspect ratio	16:9
Response time	6.5 ms
Contrast ratio (typical)	4000:1
Contrast ratio (dynamic)	500000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours	16.78 million colours
Pixel pitch	0.36375 x 0.36375 mm
Display diagonal (metric)	80 cm
Panel life	50000 h
Haze rate	2%

**Ports & interfaces**

HDMI ports quantity *	2
HDMI version	2.0
HDMI input ports quantity	2
DVI port *	✓
DVI-I ports quantity	1
USB port *	✓
USB ports quantity	2
USB version	2.0
Ethernet LAN *	✓
Ethernet LAN (RJ-45) ports	1
Audio (L/R) in	1
Audio (L/R) out	1
RS-232C	✓
Remote (IR) input	1
Remote (IR) output	1

**Audio**

Built-in speaker(s) *	✓
Number of built-in speakers	2
RMS rated power	20 W

**Design**

Product design *	Digital A-board
------------------	-----------------

**Design**

Orientation	Horizontal/Vertical
Product colour *	Black
VESA mounting *	✓
Panel mounting interface	100 x 100,200 x 200 mm
Bezel width (bottom)	1.72 cm
Bezel width (side)	1.19 cm
Bezel width (top)	1.19 cm

**Performance**

Purpose *	Commercial
Operating hours (hours/days)	18/7

**Power**

Power consumption (typical) *	45 W
Power consumption (standby) *	0.5 W
Energy efficiency class (SDR)	G
Energy consumption (SDR) per 1000 hours	41 kWh
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Energy efficiency scale	A to G

**Computer system**

Video formats supported	H.264, MPEG, WMV3
Audio formats supported	AAC, HE-AAC, WMA
Image formats supported	BMP, JPEG, PNG

**Weight & dimensions**

Display width	726.5 mm
Display depth	69.1 mm
Display height	425.4 mm
Display weight	5.7 kg

**Packaging content**

Remote control included	✓
Batteries included	✓
Cables included	AC, IR sensor, RS-232, USB

**Operational conditions**

Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	20 - 80%
Storage temperature (T-T)	-20 - 60 °C
Storage relative humidity (H-H)	5 - 95%


**Logistics data**

Harmonized System (HS) code	85285210
-----------------------------	----------

**Design**

Placement supported \*

Indoor



8712581778569

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-NOV-2024. Prints or copies of Information are only valid on the printed Publication date